

Postestimation commands

The following postestimation commands are available after `cloglog`:

Command	Description
<code>contrast</code>	contrasts and ANOVA-style joint tests of parameters
<code>estat ic</code>	Akaike's, consistent Akaike's, corrected Akaike's, and Schwarz's Bayesian information criteria (AIC, CAIC, AICc, and BIC, respectively)
<code>estat summarize</code>	summary statistics for the estimation sample
<code>estat vce</code>	variance-covariance matrix of the estimators (VCE)
<code>estat (svy)</code>	postestimation statistics for survey data
<code>estimates</code>	cataloging estimation results
<code>etable</code>	table of estimation results
* <code>forecast</code>	dynamic forecasts and simulations
* <code>hausman</code>	Hausman's specification test
<code>lincom</code>	point estimates, standard errors, testing, and inference for linear combinations of parameters
<code>linktest</code>	link test for model specification
* <code>lrtest</code>	likelihood-ratio test
<code>margins</code>	marginal means, predictive margins, marginal effects, and average marginal effects
<code>marginsplot</code>	graph the results from margins (profile plots, interaction plots, etc.)
<code>nlcom</code>	point estimates, standard errors, testing, and inference for nonlinear combinations of parameters
<code>predict</code>	probabilities, linear predictions and their SEs, etc.
<code>predictnl</code>	point estimates, standard errors, testing, and inference for generalized predictions
<code>pwcompare</code>	pairwise comparisons of parameters
<code>suest</code>	seemingly unrelated estimation
<code>test</code>	Wald tests of simple and composite linear hypotheses
<code>testnl</code>	Wald tests of nonlinear hypotheses

*`forecast`, `hausman`, and `lrtest` are not appropriate with `svy` estimation results. `forecast` is also not appropriate with `mi` estimation results.

predict

Description for predict

`predict` creates a new variable containing predictions such as probabilities, linear predictions, standard errors, and the equation-level score.

Menu for predict

Statistics > Postestimation

Syntax for predict

```
predict [type] newvar [if] [in] [ , statistic nooffset ]
```

<i>statistic</i>	Description
------------------	-------------

Main

<code>pr</code>	probability of a positive outcome; the default
<code>xb</code>	linear prediction
<code>stdp</code>	standard error of the linear prediction
<code>score</code>	first derivative of the log likelihood with respect to $\mathbf{x}_j\boldsymbol{\beta}$

These statistics are available both in and out of sample; type `predict ... if e(sample) ...` if wanted only for the estimation sample.

Options for predict

Main

`pr`, the default, calculates the probability of a positive outcome.

`xb` calculates the linear prediction.

`stdp` calculates the standard error of the linear prediction.

`score` calculates the equation-level score, $\partial \ln L / \partial (\mathbf{x}_j\boldsymbol{\beta})$.

`nooffset` is relevant only if you specified `offset` (*varname*) for `cloglog`. It modifies the calculations made by `predict` so that they ignore the offset variable; the linear prediction is treated as $\mathbf{x}_j\mathbf{b}$ rather than as $\mathbf{x}_j\mathbf{b} + \text{offset}_j$.

margins

Description for margins

`margins` estimates margins of response for probabilities and linear predictions.

Menu for margins

Statistics > Postestimation

Syntax for margins

```
margins [marginlist] [, options]
```

```
margins [marginlist] , predict(statistic ...) [predict(statistic ...) ...] [options]
```

<i>statistic</i>	Description
<code>pr</code>	probability of a positive outcome; the default
<code>xb</code>	linear prediction
<code>stdp</code>	not allowed with <code>margins</code>
<code>score</code>	not allowed with <code>margins</code>

Statistics not allowed with `margins` are functions of stochastic quantities other than $e(b)$.

For the full syntax, see [R] [margins](#).

Remarks and examples

Once you have fit a model, you can obtain the predicted probabilities by using the `predict` command for both the estimation sample and other samples; see [U] [20 Estimation and postestimation commands](#) and [R] [predict](#). Here we will make only a few comments.

`predict` without arguments calculates the predicted probability of a positive outcome. With the `xb` option, it calculates the linear combination $\mathbf{x}_j\mathbf{b}$, where \mathbf{x}_j are the independent variables in the j th observation and \mathbf{b} is the estimated parameter vector.

With the `stdp` option, `predict` calculates the standard error of the linear prediction, which is not adjusted for replicated covariate patterns in the data.

▷ Example 1

In [example 1](#) in [\[R\] cloglog](#), we fit the complementary log–log model `cloglog foreign weight mpg`. To obtain predicted probabilities,

```
. use https://www.stata-press.com/data/r19/auto
(1978 automobile data)
. cloglog foreign weight mpg
(output omitted)
. predict p
(option pr assumed; Pr(foreign))
. summarize foreign p
```

Variable	Obs	Mean	Std. dev.	Min	Max
foreign	74	.2972973	.4601885	0	1
p	74	.2928348	.29732	.0032726	.9446067

◀

Also see

[\[R\] cloglog](#) — Complementary log–log regression

[\[U\] 20 Estimation and postestimation commands](#)

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.

For suggested citations, see the FAQ on [citing Stata documentation](#).

