

**npregress** — Nonparametric regression[Description](#)[Quick start](#)[Menu](#)[Syntax](#)[Options](#)[Remarks and examples](#)[Stored results](#)[Methods and formulas](#)[Acknowledgments](#)[References](#)[Also see](#)

## Description

`npregress` performs nonparametric local-linear and local-constant kernel regression. Like linear regression, nonparametric regression models the mean of the outcome conditional on the covariates, but unlike linear regression, it makes no assumptions about the functional form of the relationship between the outcome and the covariates. `npregress` may be used to model the mean of a continuous, count, or binary outcome.

## Quick start

Nonparametric regression of  $y$  on  $x$  and discrete covariate  $a$  using the default Epanechnikov kernel

```
npregress kernel y x i.a
```

As above, but use 500 replications and compute bootstrap standard errors and percentile confidence intervals

```
npregress kernel y x i.a, reps(500)
```

As above, but use a Gaussian kernel

```
npregress kernel y x1 i.a, reps(500) kernel(gaussian)
```

As above, but use the improved AIC to find the optimal bandwidth

```
npregress kernel y x1 i.a, reps(500) kernel(gaussian) imaic
```

As above, but additionally specify that only the mean of the outcome be computed

```
npregress kernel y x1 i.a, reps(500) kernel(gaussian) imaic noderivatives
```

Specify  $h$  as the vector of bandwidths

```
npregress kernel y x1 i.a, bwidth(h)
```

## Menu

Statistics > Nonparametric analysis > Nonparametric regression

## Syntax

```
npregress kernel depvar indepvars [if] [in] [, options]
```

<i>options</i>	Description
<b>Model</b>	
<code>estimator(<u>linear</u>   <u>constant</u>)</code>	use the local-linear or local-constant kernel estimator
<code><u>kernel</u>(<i>kernel</i>)</code>	kernel density function for continuous covariates
<code><u>dkernel</u>(<i>dkernel</i>)</code>	kernel density function for discrete covariates
<code><u>predict</u>(<i>prspec</i>)</code>	store predicted values of the mean and derivatives using variable names specified in <i>prspec</i>
<code><u>noderivatives</u></code>	suppress derivative computation
<code><u>imaic</u></code>	use improved AIC instead of cross-validation to compute optimal bandwidth
<code><u>unidentsample</u>(<i>newvar</i>)</code>	specify name of variable that marks identification problems
<b>Bandwidth</b>	
<code><u>bwidth</u>(<i>specs</i>)</code>	specify kernel bandwidth for all predictions
<code><u>meanbwidth</u>(<i>specs</i>)</code>	specify kernel bandwidth for the mean
<code><u>derivbwidth</u>(<i>specs</i>)</code>	specify kernel bandwidth for the derivatives
<b>SE</b>	
<code>*<u>vce</u>(<i>vcetype</i>)</code>	<i>vcetype</i> may be <code>none</code> or <code>bootstrap</code>
<code><u>reps</u>(#)</code>	equivalent to <code>vce(bootstrap, reps(#))</code>
<code><u>seed</u>(#)</code>	set random-number seed to #; must also specify <code>reps(#)</code>
<code><u>bwreplace</u></code>	vary bandwidth with each bootstrap replication; seldom used
<b>Reporting</b>	
<code><u>level</u>(#)</code>	set confidence level; default is <code>level(95)</code>
<code><u>display_options</u></code>	control columns and column formats, row spacing, line width, display of omitted variables and base and empty cells, and factor-variable labeling
<code><u>citype</u>(<i>citype</i>)</code>	method to compute bootstrap confidence intervals; default is <code>citype(percentile)</code>
<b>Maximization</b>	
<code><u>maximize_options</u></code>	control the maximization process
<code><u>coeflegend</u></code>	display legend instead of statistics

*indepvars* may contain factor variables; see [U] 11.4.3 **Factor variables**.

`bootstrap`, `by`, and `jackknife` are allowed; see [U] 11.1.10 **Prefix commands**.

\*`vce(bootstrap)` reports percentile confidence intervals instead of the normal-based confidence intervals reported when `vce(bootstrap)` is specified with other estimation commands.

`coeflegend` does not appear in the dialog box.

See [U] 20 **Estimation and postestimation commands** for more capabilities of estimation commands.

<i>kernel</i>	Description
<u>e</u> panechnikov	Epanechnikov kernel function; the default
<u>e</u> pan2	alternative Epanechnikov kernel function
<u>b</u> iweight	biweight kernel function
<u>c</u> osine	cosine trace kernel function
<u>g</u> aussian	Gaussian kernel function
<u>p</u> arzen	Parzen kernel function
<u>r</u> ectangle	rectangle kernel function
<u>t</u> riangle	triangle kernel function

<i>dkernel</i>	Description
<u>l</u> iracine	Li–Racine kernel function; the default
<u>c</u> ellmean	cell means kernel function

<i>citype</i>	Description
<u>p</u> ercentile	percentile confidence intervals; the default
<u>b</u> c	bias-corrected confidence intervals
<u>n</u> ormal	normal-based confidence intervals

## Options

Model

`estimator(linear | constant)` specifies whether the local-constant or local-linear kernel estimator should be used. The default is `estimator(linear)`.

`kernel(kernel)` specifies the kernel density function for continuous covariates for use in calculating the local-constant or local-linear estimator. The default is `kernel(epanechnikov)`.

`dkernel(dkernel)` specifies the kernel density function for discrete covariates for use in calculating the local-constant or local-linear estimator. The default is `dkernel(liracine)`; see [Methods and formulas](#) for details on the Li–Racine kernel. When `dkernel(cellmean)` is specified, discrete covariates are weighted by their cell means.

`predict(prspec)` specifies that `npregress` store the predicted values for the mean and derivatives of the mean with the specified names. *prspec* is the following:

```
predict(varlist | stub* [ , replace noderivatives ])
```

The option takes a variable list or a *stub*. The first variable name corresponds to the predicted outcome mean. The second name corresponds to the derivatives of the mean. There is one derivative for each *indepvar*.

When `replace` is used, variables with the names in *varlist* or *stub\** are replaced by those in the new computation. If `noderivatives` is specified, only a variable for the mean is created. This will increase computation speed but will add to the computation burden if you want to obtain marginal effects after estimation.

`noderivatives` suppresses the computation of the derivatives. In this case, only the mean function is computed.

`imaic` specifies to use the improved AIC instead of cross-validation to compute optimal bandwidths.

`unident``sample`(*newvar*) specifies the name of a variable that is 1 if the observation violates the model identification assumptions and is 0 otherwise. By default, this variable is a system variable (`_unident_sample`).

`npregress` computes a weighted regression for each observation in our data. An observation violates identification assumptions if the regression cannot be performed at that point. The regression formula, which is discussed in detail in *Methods and formulas*, is given by

$$\hat{\gamma} = (\mathbf{Z}'\mathbf{W}\mathbf{Z})^{-1} \mathbf{Z}'\mathbf{W}\mathbf{y}$$

`npregress` verifies that the matrix ( $\mathbf{Z}'\mathbf{W}\mathbf{Z}$ ) is full rank for each observation to determine identification. Identification problems commonly arise when the bandwidth is too small, resulting in too few observations within a bandwidth. Independent variables that are collinear within the bandwidth can also cause a problem with identification at that point.

Observations that violate identification assumptions are reported as missing for the predicted means and derivatives.

---

#### Bandwidth

`bwidth`(*specs*) specifies the half-width of the kernel at each point for the computation of the mean and the derivatives of the mean function. If no bandwidth is specified, one is chosen by minimizing the integrated mean squared error of the prediction.

*specs* specifies bandwidths for the mean and derivative for each *indepvar* in one of three ways: by specifying the name of a vector containing the bandwidths (for example, `bwidth(H)`, where H is a properly labeled vector); by specifying the equation and coefficient names with the corresponding values (for example, `bwidth(Mean:x1=0.5 Effect:x1=0.9)`); or by specifying a list of values for the means, standard errors, and derivatives for *indepvars* given in the order of the corresponding *indepvars* and specifying the copy suboption (for example, `bwidth(0.5 0.9, copy)`).

`skip` specifies that any parameters found in the specified vector that are not also found in the model be ignored. The default action is to issue an error message.

`copy` specifies that the list of values or the vector be copied into the bandwidth vector by position rather than by name.

`meanbwidth`(*specs*) specifies the half-width of the kernel at each point for the computation of the mean function. If no bandwidth is specified, one is chosen by minimizing the integrated mean squared error of the prediction. For details on how to specify the bandwidth, see the description of `bwidth()`, [above](#).

`derivbwidth`(*specs*) specifies the half-width of the kernel at each point for the computation of the derivatives of the mean. If no bandwidth is specified, one is chosen by minimizing the integrated mean squared error of the prediction. For details on how to specify the bandwidth, see the description of `bwidth()`, [above](#).

---

#### SE

`vce`(*vcetype*) specifies the type of standard error reported, which may be either that no standard errors are reported (`none`; the default) or that bootstrap standard errors are reported (`bootstrap`); see [R] [vce\\_option](#).

We recommend that you select the number of replications using `reps(#)` instead of specifying `vce(bootstrap)`, which defaults to 50 replications. Be aware that the number of replications needed to produce good estimates of the standard errors varies depending on the problem.

When `vce(bootstrap)` is specified, `npregress` reports percentile confidence intervals as recommended by Cattaneo and Jansson (2017) instead of reporting the normal-based confidence intervals that are reported when `vce(bootstrap)` is specified with other commands. Other types of confidence intervals can be obtained by using the `citype(citype)` option.

`reps(#)` specifies the number of bootstrap replications to be performed. Specifying this option is equivalent to specifying `vce(bootstrap, reps(#))`.

`seed(#)` sets the random-number seed. You must specify `reps(#)` with `seed(#)`.

`bwreplace` computes a different bandwidth for each bootstrap replication. The default is to compute the bandwidth once and keep it fixed for each bootstrap replication. This option is seldom used.

#### Reporting

`level(#)`, `nocnsreport`; see [R] [estimation options](#).

`display_options`: `nocl`, `nopvalues`, `noomitted`, `vsquish`, `noemptycells`, `baselevels`, `allbaselevels`, `nofvlabel`, `fvwrap(#)`, `fvwrapon(style)`, `cformat(%fmt)`, `pformat(%fmt)`, `sformat(%fmt)`, and `nolstretch`; see [R] [estimation options](#).

`citype(citype)` specifies the type of confidence interval to be computed. By default, bootstrap percentile confidence intervals are reported as recommended by Cattaneo and Jansson (2017). `citype` may be one of `percentile`, `bc`, or `normal`.

#### Maximization

`maximize_options`: `iterate(#)`, `[no]log`, `trace`, `showstep`, `tolerance(#)`, `ltolerance(#)`, `from(omit_specs)`; see [R] [maximize](#). These options are seldom used.

The following option is available with `npregress` but is not shown in the dialog box:

`coeflegend`; see [R] [estimation options](#).

## Remarks and examples

[stata.com](http://www.stata.com)

This entry assumes that you are already familiar with nonparametric regression. For an introduction to the nonparametric kernel regression methods used in `npregress`, see [R] [npregress intro](#).

Remarks are presented under the following headings:

[Overview](#)  
[Estimation and effects](#)  
[Visualizing covariate effects](#)

## Overview

`npregress` implements local-constant and local-linear regression. The covariates may be continuous or discrete. You can use `npregress` to nonparametrically estimate a conditional mean. `npregress` also allows you to estimate covariate effects after estimation and, in models with one covariate, to plot the mean function by using `ngraph` after estimation.

The word “nonparametric” refers to the fact that the parameter of interest, the mean as a function of the covariates, is given by the unknown function  $g(\mathbf{x}_i)$ , which is an element of an infinite-dimensional space of functions. In contrast, in a parametric model, the mean for a given value of the covariates,  $E(y_i|\mathbf{x}_i) = f(\mathbf{x}_i, \beta)$ , is a known function that is fully characterized by the parameter of interest,  $\beta$ , which is a finite-dimensional real vector (Shao 2003).

The regression model of outcome  $y_i$  given the  $k$ -dimensional vector of covariates  $\mathbf{x}_i$  is given by

$$y_i = g(\mathbf{x}_i) + \varepsilon_i \quad (1)$$

$$E(\varepsilon_i | \mathbf{x}_i) = 0 \quad (2)$$

where  $\varepsilon_i$  is the error term. The covariates may include discrete and continuous variables. Equations (1) and (2) imply that

$$E(y_i | \mathbf{x}_i) = g(\mathbf{x}_i)$$

Once we account for the information in the covariates, the error term provides no information about the mean of our outcome. The conditional mean function is therefore given by  $g(\mathbf{x}_i)$ . By estimating  $E(y_i | \mathbf{x}_i = \mathbf{x})$  for all points  $\mathbf{x}$  in our data, we obtain an estimate of  $E(y_i | \mathbf{x}_i)$ .

**npregress**, by default, estimates a local-linear regression. Local-linear regression estimates a regression for a subset of observations for each point in our data. See [Fan and Gijbels \(1996\)](#) for a good reference on local-linear regression. Local-linear regression, for each point  $\mathbf{x}$ , solves the minimization problem given by

$$\min_{\gamma} \sum_{i=1}^n \{y_i - \gamma_0 - \gamma_1'(\mathbf{x}_i - \mathbf{x})\}^2 K(\mathbf{x}_i, \mathbf{x}, \mathbf{h}) \quad (3)$$

where  $\gamma = (\gamma_0, \gamma_1)'$ .

Equation (3) and its solution are similar to parametric ordinary least squares. The slope and the constant in (3), however, have a different interpretation. The constant in (3),  $\gamma_0$ , is the conditional mean at a specific point  $\mathbf{x}$ . The slope parameter,  $\gamma_1$ , is the derivative of the mean function with respect to  $\mathbf{x}$ . The solution to this least-squares problem gives us the mean function and its derivative for each one of the elements of  $\mathbf{x}$ . Repeating this optimization for each point  $\mathbf{x}$  gives us the entire mean function and its derivatives.

Another difference between (3) and the minimization problem of parametric ordinary least squares is how the optimization is weighted. The weights are given by the kernel function  $K(\mathbf{x}_i, \mathbf{x}, \mathbf{h})$ . The kernel function assigns weights to observations  $\mathbf{x}_i$  based on how much they differ from  $\mathbf{x}$  and based on the bandwidth,  $\mathbf{h}$ . The smaller  $\mathbf{h}$  is, the larger the weight assigned to points between  $\mathbf{x}_i$  and  $\mathbf{x}$ .

The bandwidth also determines the bias and variance of the mean function estimator. **npregress** selects the bandwidth using cross-validation, as suggested by [Li and Racine \(2004\)](#), or if the `imaic` option is specified, with the improved AIC proposed by [Hurvich, Simonoff, and Tsai \(1998\)](#). Both methods minimize the trade-off between bias and variance.

**npregress** computes a conditional mean for each observation in the data and, for each one of these computations, verifies whether identification conditions are fulfilled. The observations for which the regression identification assumptions are not satisfied are dropped from the estimation sample. Additionally, whenever there is a violation of the identification assumption, **npregress** generates a system variable or a variable with a name provided in `noidsample(newvar)`. This variable is 1 for observations violating the identification assumption and is 0 otherwise. **npregress** also issues a warning, letting you know the number of observations for which the identification assumption is not satisfied.

## Estimation and effects

The output of `npregress` reports averages of the mean function and the effects of the mean function. An average effect from nonparametric regress may be either 1) an average marginal effect, in the case of the mean of derivatives for continuous covariates or 2) the mean of contrasts for discrete covariates.

Some well-established literature estimates these average effects directly and uses an optimal bandwidth for this computation; see [Powell, Stock, and Stoker \(1989\)](#) and [Powell and Stoker \(1996\)](#). By taking averages of the local-linear estimates, `npregress` is more in line with the approach in [Li, Lu, and Ullah \(2003\)](#). Intuitively, choosing the optimal bandwidth for the derivative produces a more efficient estimator than using the bandwidth that is optimal for the function. Both estimators are consistent for the average effect. [Cattaneo and Jansson \(2017\)](#) formally justify the average effect using the function-optimal bandwidth.

`npregress` also reports an approximation of  $n|h|$  as the expected kernel observations. This statistic rounds the product of the continuous kernel bandwidth values and the number of observations used for estimation. For instance, if the estimation sample was 500 and the bandwidth was 0.246, the expected kernel observations would be 123 ( $= 500 \times 0.246$ ). The expected kernel observation number of 123 tells us that, on average, 123 observations are used to compute each one of the 500 regressions performed by `npregress`.

### ► Example 1: Nonparametric regression estimation and graphing

`dui.dta` contains information about the number of monthly drunk driving citations in a local jurisdiction (`citations`). Suppose we want to know the effect of increasing fines on the number of citations. Because `citations` is a count variable, we could consider fitting the model with `poisson` or `nbreg`. However, both of these estimators make assumptions about the distribution of the data. If these assumptions are not true, we will obtain inconsistent estimates.

By using `npregress`, we do not have to make any assumptions about how `citations` is distributed. We use `npregress` to estimate the mean of `citations` as a function of the value of the fines imposed for drunk driving (`fines`).

```

. use http://www.stata-press.com/data/r15/dui
(Fictional data on monthly drunk driving citations)
. npregress kernel citations fines

Computing mean function
Minimizing cross-validation function:
Iteration 0: Cross-validation criterion = 35.478784
Iteration 1: Cross-validation criterion = 4.0147129
Iteration 2: Cross-validation criterion = 4.0104176
Iteration 3: Cross-validation criterion = 4.0104176
Iteration 4: Cross-validation criterion = 4.0104176
Iteration 5: Cross-validation criterion = 4.0104176
Iteration 6: Cross-validation criterion = 4.0104006
Computing optimal derivative bandwidth
Iteration 0: Cross-validation criterion = 6.1648059
Iteration 1: Cross-validation criterion = 4.3597488
Iteration 2: Cross-validation criterion = 4.3597488
Iteration 3: Cross-validation criterion = 4.3597488
Iteration 4: Cross-validation criterion = 4.3597488
Iteration 5: Cross-validation criterion = 4.3597488
Iteration 6: Cross-validation criterion = 4.3595842
Iteration 7: Cross-validation criterion = 4.3594713
Iteration 8: Cross-validation criterion = 4.3594713
Bandwidth

```

	Mean	Effect
fines	.5631079	.924924

```

Local-linear regression      Number of obs      =      500
Kernel   : epanechnikov    E(Kernel obs)     =      282
Bandwidth: cross validation R-squared          =      0.4380

```

citations	Estimate
Mean citations	22.33999
Effect fines	-7.692388

Note: Effect estimates are averages of derivatives.

Note: You may compute standard errors using `vce(bootstrap)` or `reps()`.

The first table displays the bandwidths used to estimate the mean function and the derivative of the mean function. Each of these bandwidths is estimated by minimizing a function that trades off bias and variance; the corresponding iteration logs are displayed also. The expected number of observations used to estimate the mean function at each point is reported in `E(Kernel obs)` as 282.

Unlike other estimation commands, `npregress` does not report standard errors, test statistics, and confidence intervals by default. In [example 2](#), we demonstrate how to obtain these statistics and further discuss the output.

◀

## ► Example 2: Bootstrapping standard errors

We can estimate the standard errors by using the bootstrap; see [Cattaneo and Jansson \(2017\)](#) for formal results. We use the `reps(400)` option, which is equivalent to `vce(bootstrap, reps(400))` and specifies that 400 bootstrap replications be used instead of the default 50 replications that are used when we specify `vce(bootstrap)`.



Each estimation problem requires a different number of replications to produce good estimates of the standard errors. In [example 3](#), we explain how we decided to use 400 replications. Note that nonparametric estimation and the bootstrap are computationally intensive, so running this example and others that compute bootstrap standard errors will take a while.

```
. npregress kernel citations fines, reps(400) seed(12)
(running npregress on estimation sample)
Bootstrap replications (400)
-----|-----|-----|-----|-----|-----|
      1       2       3       4       5
(output omitted)
```

Bandwidth

	Mean	Effect
fines	.5631079	.924924

```
Local-linear regression      Number of obs      =      500
Kernel      : epanechnikov  E(Kernel obs)     =      282
Bandwidth: cross validation  R-squared          =      0.4380
```


citations	Observed Estimate	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
Mean citations	22.33999	.4588298	48.69	0.000	21.48622	23.35956
Effect fines	-7.692388	.491884	-15.64	0.000	-8.693068	-6.757721

Note: Effect estimates are averages of derivatives.

The coefficient table now reports the average of the predicted means and the average of the predicted derivatives of the mean function with bootstrap standard errors. The average of the observation-level predicted (*citations*) is 22.34. The average of the observation-level marginal effects is  $-7.69$ , which indicates that increasing *fines* reduces the mean number of citations.

We use `npgraph` to graph the estimated conditional mean function.

```
. npgraph
```



The graph shows the negative association between fines and the number of drunk driving citations. ◀

`npregress` generates system variables for the mean function and the derivative of the mean function. To see the variables that `npregress` generated for [example 1](#), we type

```
. describe *_*, fullnames
      storage  display  value
variable name  type    format  label      variable label
-----
  _Mean_citations double  %10.0g              mean function
  _d_Mean_citations_d_fines
                    double  %10.0g              derivative of mean function w.r.t
                    fines
```

To specify a name for each system variable, we can use the `predict()` option.

```
. npregress kernel citations fines, predict(mean deriv)
  (output omitted)
. describe mean deriv
      storage  display  value
variable name  type    format  label      variable label
-----
  mean         double  %10.0g              mean function
  deriv        double  %10.0g              derivative of mean function w.r.t
                    fines
```

Alternatively, we can use the same *stub* for all the variable names by typing `predict(hatvar*)`, which would generate variables `hatvar1` and `hatvar2`.

You may add `noderivatives` to the option, as in `predict(hatvar*, noderivatives)`, to specify that no derivatives be generated. You save memory when you use `noderivatives`, but you add to the computational burden. As you will see below, an important feature of `npregress` is the availability of the `margins` command after estimation. `margins` must compute the derivatives and their optimal bandwidth.

### ▷ Example 3: Selecting the number of bootstrap replications

We start by fitting the model using 200 bootstrap replications. We want to find the number of replications for which the confidence intervals do not change much.

```
. npregress kernel citations fines, reps(200) seed(12)
(running npregress on estimation sample)
Bootstrap replications (200)
-----|-----|-----|-----|-----|-----
..... 50
..... 100
..... 150
..... 200
```

Bandwidth

	Mean	Effect
fines	.5631079	.924924

```
Local-linear regression      Number of obs      =          500
Kernel : epanechnikov      E(Kernel obs)     =          282
Bandwidth: cross validation R-squared          =          0.4380
```

citations	Observed Estimate	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
Mean citations	22.33999	.4769389	46.84	0.000	21.49744	23.42156
Effect fines	-7.692388	.5088819	-15.12	0.000	-8.742081	-6.77816

Note: Effect estimates are averages of derivatives.

For 200 replications, the confidence interval for the mean ranges from 21.50 to 23.42. For the effect of fines, this range is  $-8.74$  to  $-6.78$ .

We repeat the estimation using 300 replications and the same seed as in the previous case.

```
. npregress kernel citations fines, reps(300) seed(12)
(running npregress on estimation sample)
Bootstrap replications (300)
-----|-----|-----|-----|-----|-----
      (output omitted)
```

Bandwidth

	Mean	Effect
fines	.5631079	.924924

```

Local-linear regression      Number of obs      =      500
Kernel      : epanechnikov  E(Kernel obs)     =      282
Bandwidth: cross validation  R-squared          =      0.4380

```

citations	Observed Estimate	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
Mean citations	22.33999	.4570611	48.88	0.000	21.49359	23.36299
Effect fines	-7.692388	.4981956	-15.44	0.000	-8.673813	-6.720508

Note: Effect estimates are averages of derivatives.


The confidence interval for the mean ranges from 21.49 to 23.36. For the effect of fines, this range is  $-8.67$  to  $-6.72$ . There are some differences so we try estimation with 400 replications.

```

. npregress kernel citations fines, reps(400) seed(12)
(running npregress on estimation sample)

```

Bootstrap replications (400)



Bandwidth

	Mean	Effect
fines	.5631079	.924924

```

Local-linear regression      Number of obs      =      500
Kernel      : epanechnikov  E(Kernel obs)     =      282
Bandwidth: cross validation  R-squared          =      0.4380

```

citations	Observed Estimate	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
Mean citations	22.33999	.4588298	48.69	0.000	21.48622	23.35956
Effect fines	-7.692388	.491884	-15.64	0.000	-8.693068	-6.757721

Note: Effect estimates are averages of derivatives.

The confidence interval for the mean ranges from 21.49 to 23.36. In the case of the effect of fines, these ranges are  $-8.69$  to  $-6.76$ . The changes are small so we decide to use 400 replications.

◀

#### ► Example 4: Estimating the effect of a percentage change in a covariate

Nonparametric estimation and the bootstrap are computationally intensive, so we use only 200 replications here.

We now extend [example 2](#). In addition to `fines`, we model `citations` as a function of whether the jurisdiction taxes alcoholic beverages (`taxes`); whether the city is small, medium, or large (`csize`); and whether there is a college in the jurisdiction (`college`).

```
. npregress kernel citations fines i.taxes i.csize i.college, nolog
> reps(200) seed(12)
(running npregress on estimation sample)
```

Bootstrap replications (200)

----- ----- ----- ----- ----- -----	1	2	3	4	5	
.....						50
.....						100
.....						150
.....						200

Bandwidth

	Mean	Effect
fines	.4471373	.6537197
taxes	.4375656	.4375656
csize	.3938759	.3938759
college	.554583	.554583

Local-linear regression	Number of obs	=	500
Continuous kernel : epanechnikov	E(Kernel obs)	=	224
Discrete kernel : liracine	R-squared	=	0.8010
Bandwidth : cross validation			

	Observed Estimate	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
Mean citations	22.26306	.4642464	47.96	0.000	21.46204	23.2516
Effect						
fines	-7.332833	.3316656	-22.11	0.000	-8.013487	-6.741899
taxes (tax vs no tax)	-4.502718	.5012	-8.98	0.000	-5.437733	-3.544934
csize (medium vs small)	5.300524	.2687413	19.72	0.000	4.758121	5.797119
csize (large vs small)	11.05053	.502633	21.99	0.000	10.00169	11.94311
college (college vs not coll..)	5.953188	.461057	12.91	0.000	5.086511	6.88612

Note: Effect estimates are averages of derivatives for continuous covariates and averages of contrasts for factor covariates.

The mean number of citations predicted by the mean estimates is 22.26. The average marginal effect of *fines* is  $-7.33$ , slightly less in magnitude than the  $-7.69$  that we estimated in example 2.

The average marginal effect tells us the result of an infinitesimal change in *fines* on citations. Instead of talking about infinitesimal changes, we want to know the effect of increasing *fines* by 15%. We can use margins to estimate the mean number of citations that would occur if *fines* were increased by 15%.

```
. margins, at(fines=generate(fines*1.15)) reps(200) seed(12)
(running margins on estimation sample)

Bootstrap replications (200)
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
..... 50
..... 100
..... 150
..... 200

Predictive margins                                Number of obs    =      500
Replications                                     =      200

Expression   : mean function, predict()
at           : fines           = fines*1.15
```

	Observed Margin	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
_cons	14.00818	.862868	16.23	0.000	11.40867	15.00145

The estimated mean number of citations with the new level of fines is 14.01, which is smaller than the mean 22.26 that was estimated with the observed fines. We can formally compare this estimate with the mean at the original level of fines. We use the contrast() option with margins to estimate the difference in these means.

```
. margins, at(fines=generate(fines)) at(fines=generate(fines*1.15))
> contrast(atcontrast(r) nowald) reps(200) seed(12)
(running margins on estimation sample)

Bootstrap replications (200)
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
..... 50
..... 100
..... 150
..... 200

Contrasts of predictive margins                                Number of obs    =      500
Replications                                     =      200

Expression   : mean function, predict()
1._at       : fines           = fines
2._at       : fines           = fines*1.15
```

	Observed Contrast	Bootstrap Std. Err.	z	Percentile [95% Conf. Interval]
_at (2 vs 1)	-8.254875	.8021741	-10.44121	-7.381583

We find that increasing fines by 15% reduces the average number of drunk driving citations by 8.25. This number is the effect of interest, and therefore, we use the bootstrap only for this particular margins computation.

▷ Example 5: Estimating the effect of a change in level

Now we estimate the effect of increasing fines from \$10,000 to \$11,000 for fixed levels of the other covariates. The other covariate values identify a jurisdiction with a set of characteristics of interest: of medium size, with a college, and taxes alcohol.

First, we use margins to estimate the means for a jurisdiction with the characteristics of interest for the two levels of fines.

```
. margins, at(fines=10 taxes=1 csize=2 college=1)
> at(fines=11 taxes=1 csize=2 college=1) reps(200) seed(12)
(running margins on estimation sample)

Bootstrap replications (200)
-----|----- 1 -----|----- 2 -----|----- 3 -----|----- 4 -----|----- 5
..... 50
..... 100
..... 150
..... 200

Adjusted predictions          Number of obs   =          500
                             Replications       =          200

Expression : mean function, predict()
1._at      : fines           =          10
              taxes          =           1
              csize          =           2
              college        =           1
2._at      : fines           =          11
              taxes          =           1
              csize          =           2
              college        =           1
```

	Observed Margin	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
_at						
1	23.17242	.5746008	40.33	0.000	21.95222	24.30412
2	15.90157	.972558	16.35	0.000	13.87449	17.7134

For a medium-sized jurisdiction that taxes alcohol and has a college, the estimated mean of citations when fines are \$10,000 is 23.17, and the estimated mean of citations when fines are \$11,000 is 15.90.

We now use margins to estimate the difference in these means.

```
. margins, at(fines=10 taxes=1 csize=2 college=1)
> at(fines=11 taxes=1 csize=2 college=1)
> contrast(atcontrast(r) nowald) reps(200) seed(12)
(running margins on estimation sample)
```

Bootstrap replications (200)

```
-----|----- 1 -----|----- 2 -----|----- 3 -----|----- 4 -----|----- 5
..... 50
..... 100
..... 150
..... 200
```

Contrasts of predictive margins

```
Number of obs   =   500
Replications     =   200
```

Expression : mean function, predict()

```
1._at      : fines      =   10
             taxes      =    1
             csize     =    2
             college   =    1

2._at      : fines      =   11
             taxes      =    1
             csize     =    2
             college   =    1
```

	Observed Contrast	Bootstrap Std. Err.	Percentile [95% Conf. Interval]	
_at (2 vs 1)	-7.270858	1.003861	-9.096777	-5.162513

In these jurisdictions, increasing fines from \$10,000 to \$11,000 reduces the average number of citations by 7.27.

◀

## ► Example 6: Population-averaged covariate effects

In [example 5](#), we estimated the means for two values of fines for a medium-sized jurisdiction with a college and taxes on alcohol. We specified values for each covariate in our model. In this example, we will now estimate population-averaged means instead of means at specific levels of all covariates.

We first estimate the means for two levels of fines. We do not specify values for `csize`, `college`, or `taxes`, so the estimated means are unconditional on these covariates. We use `margins` to estimate means of citations when fines are \$10,000 and when fines are \$11,000:



```
. margins, at(fines=10) at(fines=11) reps(200) seed(12)
(running margins on estimation sample)
Bootstrap replications (200)
-----|----- 1 -----|----- 2 -----|----- 3 -----|----- 4 -----|----- 5
..... 50
..... 100
..... 150
..... 200

Predictive margins                                Number of obs    =      500
                                                Replications      =      200

Expression   : mean function, predict()
1._at        : fines             =           10
2._at        : fines             =           11
```

	Observed Margin	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
_at						
1	20.50161	.3281821	62.47	0.000	19.90257	21.08954
2	14.97432	.3815647	39.24	0.000	14.14858	15.59955

The estimated mean of citations when fines are \$10,000 is 20.50, and the estimated mean of citations when fines are \$11,000 is 14.97. We now use margins to estimate the difference in these means:

```
. margins, at(fines=10) at(fines=11)
> contrast(atcontrast(r) nowald) reps(200) seed(12)
(running margins on estimation sample)
Bootstrap replications (200)
-----|----- 1 -----|----- 2 -----|----- 3 -----|----- 4 -----|----- 5
..... 50
..... 100
..... 150
..... 200

Contrasts of predictive margins                                Number of obs    =      500
                                                Replications      =      200

Expression   : mean function, predict()
1._at        : fines             =           10
2._at        : fines             =           11
```

	Observed Contrast	Bootstrap Std. Err.	z	Percentile [95% Conf. Interval]
_at (2 vs 1)	-5.527288	.3529352	-6.277903	-4.925523

When fines increase from \$10,000 to \$11,000, the mean number of citations is estimated to decrease by 5.53.

Next, we consider the effect of taxing alcoholic beverages. We first estimate the population-averaged number of citations with and without such taxes.

```
. margins taxes, reps(200) seed(12)
(running margins on estimation sample)

Bootstrap replications (200)
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
..... 50
..... 100
..... 150
..... 200

Predictive margins          Number of obs   =       500
                           Replications       =       200

Expression   : mean function, predict()
```

	Observed Margin	Bootstrap Std. Err.	z	P> z	Percentile [95% Conf. Interval]	
taxes						
no tax	25.47052	.6445729	39.52	0.000	24.17515	26.6114
tax	20.96781	.4448277	47.14	0.000	20.17071	21.88565

The estimated mean number of citations is 25.47 when there are no alcohol taxes and 20.97 when there are alcohol taxes. We again use margins to estimate the difference in these means.

```
. margins r.taxes, reps(200) seed(12)
(running margins on estimation sample)

Bootstrap replications (200)
-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
|-----|-----|-----|-----|-----|-----|-----|-----|-----|
..... 50
..... 100
..... 150
..... 200

Contrasts of predictive margins

Number of obs   =       500
Replications    =       200

Expression   : mean function, predict()
```

	df	chi2	P>chi2
taxes	1	80.71	0.0000

	Observed Contrast	Bootstrap Std. Err.	Percentile [95% Conf. Interval]	
taxes (tax vs no tax)	-4.502719	.5011999	-5.437733	-3.544934

The mean number of citations is estimated to decrease by 4.50 when alcohol sales are taxed.

## Visualizing covariate effects


### ► Example 7: Using margins to visualize the mean function and covariate effects

We can also estimate the mean function for the jurisdiction with characteristics of interest over a range of observed fines. We simply add a range of fines to our margins specification from [example 4](#).

```
. margins, at(fines=(8(0.5)12) taxes=1 csize=2 college=1) reps(200) seed(12)
(output omitted)
```

We graph these results using `marginsplot`.

```
. marginsplot
(output omitted)
```




We estimated the mean when fines are \$8,000, \$8,500, and so on. From these estimated means, we can estimate the effect of a \$500 increase for each of these levels of fines.

We simply reissue our `margins` command and specify a reverse adjacent contrast that subtracts the current level from the next level for each level of fines.

```
. margins, at(fines=(8(0.5)12) taxes=1 csize=2 college=1)
> contrast(atcontrast(ar)) reps(200) seed(12)
(output omitted)
```

We again graph the results, adding a reference line at 0 that designates no change in citations:

```
. marginsplot, yline(0)
(output omitted)
```



For each level of fines between \$8,500 and \$11,500, the effect of a \$500 increase reduces the mean number of drunk driving incidents. Between \$11,500 and \$12,000, the difference of a \$500 increase is not statistically different than 0.

It would be easy to construct a similar graph for the population-averaged effects in [example 6](#). Simply omit the terms that set the other covariates at fixed values.

◀

## Stored results

`npregress` stores the following in `e()`:

### Scalars

<code>e(N)</code>	number of observations
<code>e(mean)</code>	mean of mean function
<code>e(r2)</code>	<i>R</i> -squared
<code>e(nh)</code>	expected kernel observations
<code>e(converged_effect)</code>	1 if effect optimization converged, 0 otherwise
<code>e(converged_mean)</code>	1 if mean optimization converged, 0 otherwise
<code>e(converged)</code>	1 if effect and mean optimization converged, 0 otherwise

### Macros

<code>e(cmd)</code>	<code>npregress</code>
<code>e(cmdline)</code>	command as typed
<code>e(depvar)</code>	name of dependent variable
<code>e(estimator)</code>	linear or constant
<code>e(kname)</code>	name of continuous kernel
<code>e(dkname)</code>	name of discrete kernel
<code>e(bselector)</code>	criterion function for bandwidth selection
<code>e(title)</code>	title in estimation output
<code>e(vce)</code>	<i>vctype</i> specified in <code>vce()</code>
<code>e(properties)</code>	<code>b</code> (or <code>b V</code> if <code>reps()</code> specified)
<code>e(datasignaturevars)</code>	variables used in calculation of checksum
<code>e(datasignature)</code>	the checksum
<code>e(estat_cmd)</code>	program used to implement <code>estat</code>
<code>e(predict)</code>	program used to implement <code>predict</code>
<code>e(marginsok)</code>	predictions allowed by <code>margins</code>
<code>e(marginsprop)</code>	signals to the <code>margins</code> command

## Matrices

e(b)	coefficient vector
e(bwidth)	bandwidth for all predictions
e(derivwidth)	bandwidth for the derivative
e(meanwidth)	bandwidth for the mean
e(ilog_mean)	iteration log for mean (up to 20 iterations)
e(ilog_effect)	iteration log for effects (up to 20 iterations)

## Functions

e(sample)	marks estimation sample
-----------	-------------------------

## Methods and formulas

The regression model of outcome  $y_i$  given the  $k$ -dimensional vector of covariates  $\mathbf{x}_i$  was defined in (1) and (2) of *Remarks and examples* and repeated here:

$$y_i = g(\mathbf{x}_i) + \varepsilon_i \quad (1)$$

$$E(\varepsilon_i | \mathbf{x}_i) = 0 \quad (2)$$

where  $\varepsilon_i$  is the error term. The covariates may include discrete and continuous variables. Equations (1) and (2) imply that

$$E(y_i | \mathbf{x}_i) = g(\mathbf{x}_i)$$

npregress, by default, estimates a local-linear regression; see [Fan and Gijbels \(1996\)](#) for a good reference on local-linear regression. As we discussed in *Remarks and examples*, local-linear regression estimates a regression for a subset of observations for each point in our data and solves the minimization problem given by

$$\min_{\gamma} \sum_{i=1}^n \{y_i - \gamma_0 - \gamma'_1 (\mathbf{x}_i - \mathbf{x})\}^2 K(\mathbf{x}_i, \mathbf{x}, \mathbf{h}) \quad (3)$$

where  $\gamma = (\gamma_0, \gamma'_1)'$  and  $K(\mathbf{x}_i, \mathbf{x}, \mathbf{h})$  is the product of the kernels for each covariate.

$$K(\mathbf{x}_i, \mathbf{x}, \mathbf{h}) = \prod_{i=1}^k K_j(x_{ij}, x_j, h_j)$$

The kernel for a continuous covariate is of the form

$$K_j(x_{ij}, x_j, h_j) = k_j \left( \frac{x_{ij} - x_j}{h_j} \right)$$

where  $k_j(\cdot)$  is one of the [kernels](#) listed in [\[R\] kdensity](#). For discrete covariates, npregress uses the Li–Racine kernel given by

$$K_j(x_{ij}, x_j, h_j) = \begin{cases} 1 & \text{if } x_{ij} = x_j \\ h_j & \text{otherwise} \end{cases}$$

By estimating  $E(y_i | \mathbf{x}_i = \mathbf{x})$  for all points  $\mathbf{x}$  in our data, we obtain an estimate of  $E(y_i | \mathbf{x}_i)$ . For a given  $\mathbf{x}$ , the solution to the minimization problem in (3) is given by

$$\hat{\gamma} = (\mathbf{Z}'\mathbf{W}\mathbf{Z})^{-1} \mathbf{Z}'\mathbf{W}\mathbf{y}$$

where  $\hat{\gamma} = (\hat{\gamma}_0, \hat{\gamma}_1)'$ ,  $\mathbf{Z}$  is an  $n \times (k + 1)$  matrix with an  $i$ th row given by  $\{1, (\mathbf{x}_i - \mathbf{x})'\}'$ ,  $\mathbf{W}$  is an  $n \times n$  diagonal matrix with an  $i$ th diagonal given by  $K(\mathbf{x}_i, \mathbf{x}, \mathbf{h})$ , and  $\mathbf{y}$  is the  $n \times 1$  outcome vector.  $\hat{\gamma}_0$  is an estimate of  $g(\mathbf{x})$ , whereas  $\hat{\gamma}_1$  is an estimate of the derivative of  $g(\mathbf{x})$  with respect to  $\mathbf{x}$ . When the matrix  $(\mathbf{Z}'\mathbf{W}\mathbf{Z})$  is not full rank, the parameter  $\gamma$  is not identified. The observations for which this is true are dropped from the estimation sample.

The local-constant estimator of  $g(\mathbf{x})$  is a special case of (3) with  $\gamma_1 = 0$ . In this case, the solution to the optimization problem is given by

$$\frac{\sum_{i=1}^n y_i K(\mathbf{x}_i, \mathbf{x}, \mathbf{h})}{\sum_{i=1}^n K(\mathbf{x}_i, \mathbf{x}, \mathbf{h})}$$

This is also known as the Nadaraya–Watson kernel estimator, for [Nadaraya \(1965\)](#) and [Watson \(1964\)](#).

`npregress` and `margins`, when used after `npregress`, use a bootstrap estimate of the standard errors for all the estimated effects and report percentile confidence intervals by default. [Cattaneo and Jansson \(2017\)](#) formally justify this use of the bootstrap and provide a definitive reference for semiparametric estimation and inference using kernel-based estimators. Their work demonstrates that the percentile bootstrap provides better coverage than a normal-based confidence interval for statistics based on kernel estimates. See *Methods and formulas* in [\[R\] bootstrap](#) for confidence interval formulas.

The rate of convergence of nonparametric regression estimates is given by the product of the sample size and the bandwidths  $\sqrt{n|\mathbf{h}|}$ , where  $|\mathbf{h}|$  is the product of the bandwidths for each covariate. As the sample size increases, the bandwidth decreases. Thus, the rate of convergence of the estimator is slower than the parametric rate  $\sqrt{n}$ . Another way of thinking about  $n|\mathbf{h}|$  is that, because we are not using all our observations to estimate the mean at each point, we require more data to get more reliable estimates; the convergence rate is thus slower. The rate of convergence also decreases as the number of covariates increases, because  $|\mathbf{h}|$  decreases. This is referred to as the curse of dimensionality; see [Li and Racine \(2007, chap. 2\)](#) and [Stinchcombe and Drukker \(2013\)](#) for details.

The convergence rate for the derivative of the mean function is different from the convergence rate of the mean function. Therefore, the bandwidth and bandwidth computation for the derivative are different. `npregress` computes the bandwidth for the derivative function by using cross-validation, as suggested by [Henderson et al. \(2015\)](#).

## Acknowledgments

We thank Matias Cattaneo of the Department of Economics at the University of Michigan and Qi Li of the Department of Economics at Texas A&M University for many helpful conversations. We thank Xinrong Li of the Department of Economics at the Central University of Finance and Economics in China for research assistance during her summer internship at StataCorp during the summer of 2008.

## References

- Cattaneo, M. D., and M. Jansson. 2017. Kernel-based semiparametric estimators: Small bandwidth asymptotics and bootstrap consistency. Working paper. [http://eml.berkeley.edu/~mjansson/Papers/CattaneoJansson\\_BootstrappingSemiparametrics.pdf](http://eml.berkeley.edu/~mjansson/Papers/CattaneoJansson_BootstrappingSemiparametrics.pdf).
- Cox, N. J. 2005. *Speaking Stata: Smoothing in various directions*. *Stata Journal* 5: 574–593.
- . 2007. Kernel estimation as a basic tool for geomorphological data analysis. *Earth Surface Processes and Landforms* 32: 1902–1912.
- Eubank, R. L. 1999. *Nonparametric Regression and Spline Smoothing*. 2nd ed. New York: Dekker.

- Fan, J., and I. Gijbels. 1996. *Local Polynomial Modelling and Its Applications*. London: Chapman & Hall.
- Gutierrez, R. G., J. M. Linhart, and J. S. Pitblado. 2003. [From the help desk: Local polynomial regression and Stata plugins](#). *Stata Journal* 3: 412–419.
- Hansen, B. E. 2014. Nonparametric sieve regression: Least squares, averaging least squares, and cross-validation. In *The Oxford Handbook of Applied Nonparametric and Semiparametric Econometrics and Statistics*, ed. J. S. Racine, L. Su, and A. Ullah, 215–248. New York: Oxford University Press.
- Henderson, D. J., Q. Li, C. F. Parmeter, and S. Yao. 2015. Gradient-based smoothing parameter selection for nonparametric regression estimation. *Journal of Econometrics* 184: 233–241.
- Hurvich, C. M., J. S. Simonoff, and C.-L. Tsai. 1998. Smoothing parameter selection in nonparametric regression using an improved Akaike information criterion. *Journal of the Royal Statistical Society, Series B* 60: 271–293.
- Li, Q., X. Lu, and A. Ullah. 2003. Multivariate local polynomial regression for estimating average derivatives. *Journal of Nonparametric Statistics* 15: 607–614.
- Li, Q., and J. S. Racine. 2004. Cross-validated local linear nonparametric regression. *Statistica Sinica* 14: 485–512.
- . 2007. *Nonparametric Econometrics: Theory and Practice*. Princeton, NJ: Princeton University Press.
- Nadaraya, E. A. 1965. On nonparametric estimates of density functions and regression curves. *Theory of Probability and Its Applications* 10: 186–190.
- Powell, J. L., J. H. Stock, and T. M. Stoker. 1989. Semiparametric estimation of index coefficients. *Econometrica* 57: 1403–1430.
- Powell, J. L., and T. M. Stoker. 1996. Optimal bandwidth choice for density-weighted averages. *Journal of Econometrics* 75: 291–316.
- Shao, J. 2003. *Mathematical Statistics*. 2nd ed. New York: Springer.
- Sheather, S. J., and M. C. Jones. 1991. A reliable data-based bandwidth selection method for kernel density estimation. *Journal of the Royal Statistical Society, Series B* 53: 683–690.
- Stinchcombe, M. B., and D. M. Drukker. 2013. Regression efficacy and the curse of dimensionality. In *Recent Advances and Future Directions in Causality, Prediction, and Specification Analysis: Essays in Honor of Halbert L. White Jr*, ed. X. Chen and N. R. Swanson, 527–549. New York: Springer.
- Verardi, V., and N. Debarsy. 2012. [Robinson’s square root of  \$N\$  consistent semiparametric regression estimator in Stata](#). *Stata Journal* 12: 726–735.
- Watson, G. S. 1964. Smooth regression analysis. *Sankhyā Series A* 26: 359–372.

## Also see

- [R] [npregress postestimation](#) — Postestimation tools for npregress
- [R] [npregress intro](#) — Introduction to nonparametric kernel regression
- [R] [kdensity](#) — Univariate kernel density estimation
- [R] [lpoly](#) — Kernel-weighted local polynomial smoothing
- [U] [20 Estimation and postestimation commands](#)