

set showbaselevels — Display settings for coefficient tables

[Description](#)[Syntax](#)[Option](#)[Remarks and examples](#)[Also see](#)

Description

`set showbaselevels` specifies whether to display base levels of factor variables and their interactions in coefficient tables. `set showbaselevels on` specifies that base levels be reported for factor variables and for interactions whose bases cannot be inferred from their component factor variables. `set showbaselevels all` specifies that all base levels of factor variables and interactions be reported.

`set showemptycells` specifies whether to display empty cells in coefficient tables.

`set showomitted` specifies whether to display omitted coefficients in coefficient tables.

`set fvlabel` specifies whether to display factor-variable value labels in coefficient tables. `set fvlabel on`, the default, specifies that the labels be displayed. `set fvlabel off` specifies that the levels of factor variables rather than the labels be displayed.

`set fvwrap #` specifies that long value labels wrap # lines in the coefficient table. The default is `set fvwrap 1`, which means that long value labels will be abbreviated to fit on one line.

`set fvwrapon` specifies whether value labels that wrap will break at word boundaries or break based on available space. `set fvwrapon word`, the default, specifies that value labels break at word boundaries. `set fvwrapon width` specifies that value labels break based on available space.

Syntax

```
set showbaselevels {on|off|all} [, permanently]
```

```
set showemptycells {on|off} [, permanently]
```

```
set showomitted {on|off} [, permanently]
```

```
set fvlabel {on|off} [, permanently]
```

```
set fvwrap # [, permanently]
```

```
set fvwrapon {word|width} [, permanently]
```

Option

`permanently` specifies that, in addition to making the change right now, the setting be remembered and become the default setting when you invoke Stata.

Remarks and examples

► Example 1

We illustrate the first three set commands using cholesterol2.dta.

```
. use https://www.stata-press.com/data/r17/cholesterol2
(Artificial cholesterol data, empty cells)
. generate x = race
. regress chol race##agegrp x
note: 2.race#2.agegrp identifies no observations in the sample.
note: x omitted because of collinearity.
```

| Source | SS | df | MS | Number of obs | = | 70 |
|----------|------------|----|------------|---------------|---|--------|
| | | | | F(13, 56) | = | 13.51 |
| Model | 15751.6113 | 13 | 1211.66241 | Prob > F | = | 0.0000 |
| Residual | 5022.71559 | 56 | 89.6913498 | R-squared | = | 0.7582 |
| | | | | Adj R-squared | = | 0.7021 |
| Total | 20774.3269 | 69 | 301.077201 | Root MSE | = | 9.4706 |

| chol | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|-------------|-------------|-----------|-------|-------|----------------------|-----------|
| race | | | | | | |
| White | 12.84185 | 5.989703 | 2.14 | 0.036 | .8430383 | 24.84067 |
| Other | -.167627 | 5.989703 | -0.03 | 0.978 | -12.16644 | 11.83119 |
| agegrp | | | | | | |
| 20-29 | 17.24681 | 5.989703 | 2.88 | 0.006 | 5.247991 | 29.24562 |
| 30-39 | 31.43847 | 5.989703 | 5.25 | 0.000 | 19.43966 | 43.43729 |
| 40-59 | 34.86613 | 5.989703 | 5.82 | 0.000 | 22.86732 | 46.86495 |
| 60-79 | 44.43374 | 5.989703 | 7.42 | 0.000 | 32.43492 | 56.43256 |
| race#agegrp | | | | | | |
| White#20-29 | 0 | (empty) | | | | |
| White#30-39 | -22.83983 | 8.470719 | -2.70 | 0.009 | -39.80872 | -5.870939 |
| White#40-59 | -14.67558 | 8.470719 | -1.73 | 0.089 | -31.64447 | 2.293306 |
| White#60-79 | -10.51115 | 8.470719 | -1.24 | 0.220 | -27.48004 | 6.457735 |
| Other#20-29 | -6.054425 | 8.470719 | -0.71 | 0.478 | -23.02331 | 10.91446 |
| Other#30-39 | -11.48083 | 8.470719 | -1.36 | 0.181 | -28.44971 | 5.488063 |
| Other#40-59 | -.6796112 | 8.470719 | -0.08 | 0.936 | -17.6485 | 16.28928 |
| Other#60-79 | -1.578052 | 8.470719 | -0.19 | 0.853 | -18.54694 | 15.39084 |
| x | 0 | (omitted) | | | | |
| _cons | 175.2309 | 4.235359 | 41.37 | 0.000 | 166.7464 | 183.7153 |

```
. set showemptycells off
. set showomitted off
. set showbaselevels all
```

```
. regress chol race##agegrp x
note: 2.race#2.agegrp identifies no observations in the sample.
note: x omitted because of collinearity.
```

| Source | SS | df | MS | Number of obs | = | 70 |
|----------|------------|----|------------|---------------|---|--------|
| Model | 15751.6113 | 13 | 1211.66241 | F(13, 56) | = | 13.51 |
| Residual | 5022.71559 | 56 | 89.6913498 | Prob > F | = | 0.0000 |
| | | | | R-squared | = | 0.7582 |
| | | | | Adj R-squared | = | 0.7021 |
| Total | 20774.3269 | 69 | 301.077201 | Root MSE | = | 9.4706 |

| chol | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|-------------|-------------|-----------|-------|-------|----------------------|-----------|
| race | | | | | | |
| Black | 0 | (base) | | | | |
| White | 12.84185 | 5.989703 | 2.14 | 0.036 | .8430383 | 24.84067 |
| Other | -.167627 | 5.989703 | -0.03 | 0.978 | -12.16644 | 11.83119 |
| agegrp | | | | | | |
| 10-19 | 0 | (base) | | | | |
| 20-29 | 17.24681 | 5.989703 | 2.88 | 0.006 | 5.247991 | 29.24562 |
| 30-39 | 31.43847 | 5.989703 | 5.25 | 0.000 | 19.43966 | 43.43729 |
| 40-59 | 34.86613 | 5.989703 | 5.82 | 0.000 | 22.86732 | 46.86495 |
| 60-79 | 44.43374 | 5.989703 | 7.42 | 0.000 | 32.43492 | 56.43256 |
| race#agegrp | | | | | | |
| Black#10-19 | 0 | (base) | | | | |
| Black#20-29 | 0 | (base) | | | | |
| Black#30-39 | 0 | (base) | | | | |
| Black#40-59 | 0 | (base) | | | | |
| Black#60-79 | 0 | (base) | | | | |
| White#10-19 | 0 | (base) | | | | |
| White#30-39 | -22.83983 | 8.470719 | -2.70 | 0.009 | -39.80872 | -5.870939 |
| White#40-59 | -14.67558 | 8.470719 | -1.73 | 0.089 | -31.64447 | 2.293306 |
| White#60-79 | -10.51115 | 8.470719 | -1.24 | 0.220 | -27.48004 | 6.457735 |
| Other#10-19 | 0 | (base) | | | | |
| Other#20-29 | -6.054425 | 8.470719 | -0.71 | 0.478 | -23.02331 | 10.91446 |
| Other#30-39 | -11.48083 | 8.470719 | -1.36 | 0.181 | -28.44971 | 5.488063 |
| Other#40-59 | -.6796112 | 8.470719 | -0.08 | 0.936 | -17.6485 | 16.28928 |
| Other#60-79 | -1.578052 | 8.470719 | -0.19 | 0.853 | -18.54694 | 15.39084 |
| _cons | 175.2309 | 4.235359 | 41.37 | 0.000 | 166.7464 | 183.7153 |

4 set showbaselevels — Display settings for coefficient tables

To restore the display of empty cells, omitted predictors, and baselevels to their command-specific default behavior, type

```
. set showemptycells
. set showomitted
. set showbaselevels
. regress chol race##agegrp x
note: 2.race#2.agegrp identifies no observations in the sample.
note: x omitted because of collinearity.
```

| Source | SS | df | MS | Number of obs | = | 70 |
|----------|------------|----|------------|---------------|---|--------|
| Model | 15751.6113 | 13 | 1211.66241 | F(13, 56) | = | 13.51 |
| Residual | 5022.71559 | 56 | 89.6913498 | Prob > F | = | 0.0000 |
| | | | | R-squared | = | 0.7582 |
| | | | | Adj R-squared | = | 0.7021 |
| Total | 20774.3269 | 69 | 301.077201 | Root MSE | = | 9.4706 |

| chol | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|-------------|-------------|-----------|-------|-------|----------------------|-----------|
| race | | | | | | |
| White | 12.84185 | 5.989703 | 2.14 | 0.036 | .8430383 | 24.84067 |
| Other | -.167627 | 5.989703 | -0.03 | 0.978 | -12.16644 | 11.83119 |
| agegrp | | | | | | |
| 20-29 | 17.24681 | 5.989703 | 2.88 | 0.006 | 5.247991 | 29.24562 |
| 30-39 | 31.43847 | 5.989703 | 5.25 | 0.000 | 19.43966 | 43.43729 |
| 40-59 | 34.86613 | 5.989703 | 5.82 | 0.000 | 22.86732 | 46.86495 |
| 60-79 | 44.43374 | 5.989703 | 7.42 | 0.000 | 32.43492 | 56.43256 |
| race#agegrp | | | | | | |
| White#20-29 | 0 (empty) | | | | | |
| White#30-39 | -22.83983 | 8.470719 | -2.70 | 0.009 | -39.80872 | -5.870939 |
| White#40-59 | -14.67558 | 8.470719 | -1.73 | 0.089 | -31.64447 | 2.293306 |
| White#60-79 | -10.51115 | 8.470719 | -1.24 | 0.220 | -27.48004 | 6.457735 |
| Other#20-29 | -6.054425 | 8.470719 | -0.71 | 0.478 | -23.02331 | 10.91446 |
| Other#30-39 | -11.48083 | 8.470719 | -1.36 | 0.181 | -28.44971 | 5.488063 |
| Other#40-59 | -.6796112 | 8.470719 | -0.08 | 0.936 | -17.6485 | 16.28928 |
| Other#60-79 | -1.578052 | 8.470719 | -0.19 | 0.853 | -18.54694 | 15.39084 |
| x | | | | | | |
| _cons | 0 (omitted) | | | | | |
| | 175.2309 | 4.235359 | 41.37 | 0.000 | 166.7464 | 183.7153 |

▷ Example 2

We illustrate the last three set commands using jaw.dta.

```
. use https://www.stata-press.com/data/r17/jaw, clear
(Table 4.6. Two-way unbalanced data for fractures of the jaw -- Rencher (1998))
. mvreg y1 y2 y3 = i.fracture
```

| Equation | Obs | Parms | RMSE | "R-sq" | F | P>F |
|----------|-----|-------|----------|--------|----------|--------|
| y1 | 27 | 3 | 10.42366 | 0.2966 | 5.060804 | 0.0147 |
| y2 | 27 | 3 | 6.325398 | 0.1341 | 1.858342 | 0.1777 |
| y3 | 27 | 3 | 5.976973 | 0.1024 | 1.368879 | 0.2735 |

| | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|--------------|-------------|-----------|-------|-------|----------------------|----------|
| y1 | | | | | | |
| fracture | | | | | | |
| Two compou.. | -8.833333 | 4.957441 | -1.78 | 0.087 | -19.06499 | 1.398322 |
| One simple.. | 6 | 5.394759 | 1.11 | 0.277 | -5.134235 | 17.13423 |
| _cons | 37 | 3.939775 | 9.39 | 0.000 | 28.8687 | 45.1313 |
| y2 | | | | | | |
| fracture | | | | | | |
| Two compou.. | -5.761905 | 3.008327 | -1.92 | 0.067 | -11.97079 | .446977 |
| One simple.. | -3.053571 | 3.273705 | -0.93 | 0.360 | -9.810166 | 3.703023 |
| _cons | 38.42857 | 2.390776 | 16.07 | 0.000 | 33.49425 | 43.36289 |
| y3 | | | | | | |
| fracture | | | | | | |
| Two compou.. | 4.261905 | 2.842618 | 1.50 | 0.147 | -1.60497 | 10.12878 |
| One simple.. | .9285714 | 3.093377 | 0.30 | 0.767 | -5.455846 | 7.312989 |
| _cons | 58.57143 | 2.259083 | 25.93 | 0.000 | 53.90891 | 63.23395 |

6 set showbaselevels — Display settings for coefficient tables

```
. set fvwrap 2
```

```
. mvreg y1 y2 y3 = i.fracture
```

| Equation | Obs | Parms | RMSE | "R-sq" | F | P>F |
|----------|-----|-------|----------|--------|----------|--------|
| y1 | 27 | 3 | 10.42366 | 0.2966 | 5.060804 | 0.0147 |
| y2 | 27 | 3 | 6.325398 | 0.1341 | 1.858342 | 0.1777 |
| y3 | 27 | 3 | 5.976973 | 0.1024 | 1.368879 | 0.2735 |

| | Coefficient | Std. err. | t | P> t | [95% conf. interval] |
|------------------------|-------------|-----------|-------|-------|----------------------|
| y1 | | | | | |
| fracture | | | | | |
| Two compound fractures | -8.833333 | 4.957441 | -1.78 | 0.087 | -19.06499 1.398322 |
| One simple fracture | 6 | 5.394759 | 1.11 | 0.277 | -5.134235 17.13423 |
| _cons | 37 | 3.939775 | 9.39 | 0.000 | 28.8687 45.1313 |
| y2 | | | | | |
| fracture | | | | | |
| Two compound fractures | -5.761905 | 3.008327 | -1.92 | 0.067 | -11.97079 .446977 |
| One simple fracture | -3.053571 | 3.273705 | -0.93 | 0.360 | -9.810166 3.703023 |
| _cons | 38.42857 | 2.390776 | 16.07 | 0.000 | 33.49425 43.36289 |
| y3 | | | | | |
| fracture | | | | | |
| Two compound fractures | 4.261905 | 2.842618 | 1.50 | 0.147 | -1.60497 10.12878 |
| One simple fracture | .9285714 | 3.093377 | 0.30 | 0.767 | -5.455846 7.312989 |
| _cons | 58.57143 | 2.259083 | 25.93 | 0.000 | 53.90891 63.23395 |

```
. set fvwrapon width
```

```
. mvreg y1 y2 y3 = i.fracture
```

| Equation | Obs | Parms | RMSE | "R-sq" | F | P>F |
|----------|-----|-------|----------|--------|----------|--------|
| y1 | 27 | 3 | 10.42366 | 0.2966 | 5.060804 | 0.0147 |
| y2 | 27 | 3 | 6.325398 | 0.1341 | 1.858342 | 0.1777 |
| y3 | 27 | 3 | 5.976973 | 0.1024 | 1.368879 | 0.2735 |

| | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|------------------------|-------------|-----------|-------|-------|----------------------|----------|
| y1 | | | | | | |
| fracture | | | | | | |
| Two compound fractures | -8.833333 | 4.957441 | -1.78 | 0.087 | -19.06499 | 1.398322 |
| One simple fracture | 6 | 5.394759 | 1.11 | 0.277 | -5.134235 | 17.13423 |
| _cons | 37 | 3.939775 | 9.39 | 0.000 | 28.8687 | 45.1313 |
| y2 | | | | | | |
| fracture | | | | | | |
| Two compound fractures | -5.761905 | 3.008327 | -1.92 | 0.067 | -11.97079 | .446977 |
| One simple fracture | -3.053571 | 3.273705 | -0.93 | 0.360 | -9.810166 | 3.703023 |
| _cons | 38.42857 | 2.390776 | 16.07 | 0.000 | 33.49425 | 43.36289 |
| y3 | | | | | | |
| fracture | | | | | | |
| Two compound fractures | 4.261905 | 2.842618 | 1.50 | 0.147 | -1.60497 | 10.12878 |
| One simple fracture | .9285714 | 3.093377 | 0.30 | 0.767 | -5.455846 | 7.312989 |
| _cons | 58.57143 | 2.259083 | 25.93 | 0.000 | 53.90891 | 63.23395 |

8 set showbaselevels — Display settings for coefficient tables

```
. set fvlabel off
```

```
. mvreg y1 y2 y3 = i.fracture
```

| Equation | Obs | Parms | RMSE | "R-sq" | F | P>F |
|----------|-----|-------|----------|--------|----------|--------|
| y1 | 27 | 3 | 10.42366 | 0.2966 | 5.060804 | 0.0147 |
| y2 | 27 | 3 | 6.325398 | 0.1341 | 1.858342 | 0.1777 |
| y3 | 27 | 3 | 5.976973 | 0.1024 | 1.368879 | 0.2735 |

| | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|----------|-------------|-----------|-------|-------|----------------------|--|
| y1 | | | | | | |
| fracture | | | | | | |
| 2 | -8.833333 | 4.957441 | -1.78 | 0.087 | -19.06499 1.398322 | |
| 3 | 6 | 5.394759 | 1.11 | 0.277 | -5.134235 17.13423 | |
| _cons | 37 | 3.939775 | 9.39 | 0.000 | 28.8687 45.1313 | |
| y2 | | | | | | |
| fracture | | | | | | |
| 2 | -5.761905 | 3.008327 | -1.92 | 0.067 | -11.97079 .446977 | |
| 3 | -3.053571 | 3.273705 | -0.93 | 0.360 | -9.810166 3.703023 | |
| _cons | 38.42857 | 2.390776 | 16.07 | 0.000 | 33.49425 43.36289 | |
| y3 | | | | | | |
| fracture | | | | | | |
| 2 | 4.261905 | 2.842618 | 1.50 | 0.147 | -1.60497 10.12878 | |
| 3 | .9285714 | 3.093377 | 0.30 | 0.767 | -5.455846 7.312989 | |
| _cons | 58.57143 | 2.259083 | 25.93 | 0.000 | 53.90891 63.23395 | |

To restore these last three set commands to their defaults, type

```
. set fvlabel on
. set fvwrap 1
. set fvwrapon word
. mvreg y1 y2 y3 = i.fracture
```

| Equation | Obs | Parms | RMSE | "R-sq" | F | P>F |
|----------|-----|-------|----------|--------|----------|--------|
| y1 | 27 | 3 | 10.42366 | 0.2966 | 5.060804 | 0.0147 |
| y2 | 27 | 3 | 6.325398 | 0.1341 | 1.858342 | 0.1777 |
| y3 | 27 | 3 | 5.976973 | 0.1024 | 1.368879 | 0.2735 |

| | Coefficient | Std. err. | t | P> t | [95% conf. interval] | |
|--------------|-------------|-----------|-------|-------|----------------------|--|
| y1 | | | | | | |
| fracture | | | | | | |
| Two compou.. | -8.833333 | 4.957441 | -1.78 | 0.087 | -19.06499 1.398322 | |
| One simple.. | 6 | 5.394759 | 1.11 | 0.277 | -5.134235 17.13423 | |
| _cons | 37 | 3.939775 | 9.39 | 0.000 | 28.8687 45.1313 | |
| y2 | | | | | | |
| fracture | | | | | | |
| Two compou.. | -5.761905 | 3.008327 | -1.92 | 0.067 | -11.97079 .446977 | |
| One simple.. | -3.053571 | 3.273705 | -0.93 | 0.360 | -9.810166 3.703023 | |
| _cons | 38.42857 | 2.390776 | 16.07 | 0.000 | 33.49425 43.36289 | |
| y3 | | | | | | |
| fracture | | | | | | |
| Two compou.. | 4.261905 | 2.842618 | 1.50 | 0.147 | -1.60497 10.12878 | |
| One simple.. | .9285714 | 3.093377 | 0.30 | 0.767 | -5.455846 7.312989 | |
| _cons | 58.57143 | 2.259083 | 25.93 | 0.000 | 53.90891 63.23395 | |



Also see

[R] [set](#) — Overview of system parameters

[R] [query](#) — Display system parameters