

table oneway — One-way tabulation[Description](#)[Options](#)[Also see](#)[Quick start](#)[Remarks and examples](#)[Menu](#)[Stored results](#)[Syntax](#)[Reference](#)

Description

In this entry, we discuss how to use `table` to create a one-way tabulation, including frequencies, percentages, and proportions.

Quick start

One-way table of frequencies, with rows corresponding to the levels of `a1`

```
table a1
```

As above, but with columns corresponding to the levels of `a1`

```
table () a1
```

As above, but treat missing values like other values of `a1`

```
table () a1, missing
```

One-way table of frequencies, using the collection style `mystyle`

```
table a1, style(mystyle)
```

One-way table of frequencies and percentages

```
table a1, statistic(frequency) statistic(percent)
```

Menu

Statistics > Summaries, tables, and tests > Tables of frequencies, summaries, and command results

Syntax

Basic one-way tabulation

```
table varname [if] [in] [weight] [, options]
```

Customized one-way tabulation

```
table [(rowspec)] [(colspec)] [if] [in] [weight] [, options]
```

rowspec and *colspec* may be empty or may include *varname*, **result**, or *varname* and **result**, where **result** refers to the requested statistics.

<i>options</i>	Description
Main	
nototals	suppress the marginal totals
Statistics	
statistic (<i>stat</i>)	statistic to be reported; default is statistic (frequency) when no weights are specified and statistic (sumw) otherwise
Formats	
nformat (<i>%fmt</i> [<i>results</i>])	specify numeric format
sformat (<i>sfmt</i> [<i>results</i>])	specify string format
Options	
missing	treat missing values of <i>varname</i> like other values
name (<i>cname</i>)	collect results into a collection named <i>cname</i>
append	append results to an existing collection
replace	replace results of an existing collection
label (<i>filename</i>)	specify the collection labels
style (<i>filename</i> [, <i>override</i>])	specify the collection style
markvar (<i>newvar</i>)	create <i>newvar</i> that identifies observations used in the tabulation

fweights, **awweights**, **iweights**, and **pweights** are allowed; see [U] 11.1.6 **weight**.

markvar() does not appear in the dialog box.

Options

Main

nototals prevents **table** from displaying the row or column totals.

Statistics

statistic(*stat*) specifies the statistic to be displayed. **statistic**() may be repeated to request multiple statistics.

Available statistics are

<i>stat</i>	Definition
<u>f</u> requency	frequency
<u>s</u> umw	sum of weights
<u>p</u> roportion	proportion
<u>p</u> ercent	percentage
<u>r</u> awproportion	proportion ignoring optionally specified weights
<u>r</u> awpercent	percentage ignoring optionally specified weights

Formats

nformat(*%fmt* [*results*]) changes the numeric format, such as the number of decimal places, for specified results. If *results* are not specified, the numeric format is changed for all results.

This option is repeatable, and when multiple formats apply to one result, the rightmost specification is applied.

This option does not affect the format of numeric layout variables (*rowspec* and *colspec*). The default format of these variables is taken from the dataset.

sformat(*sfmt* [*results*]) changes the string format for specified results. You can, for instance, add symbols or text to the values reported in the table by modifying the string format.

sfmt may contain a mix of text and %s. Here %s refers to the numeric value that is formatted as specified using **nformat**(). The text will be placed around the numeric values in your table as it is placed around %s in this option. For instance, to place parentheses around the percent statistics, you can specify **sformat**("(%s)" percent).

Two text characters must be specified using a special character sequence if you want them to be displayed in your table. To include %, type %%. To include \, type \\. For instance, to place a percent sign following percent statistics, you can specify **sformat**("%%s%" percent).

This option is repeatable, and when multiple formats apply to one result, the rightmost specification is applied.

Options

missing specifies that missing values of *varname* be treated as valid categories. By default, observations with a missing value in *varname* are omitted.

name(*cname*) specifies that a collection named *cname* be associated with the collected statistics and results. The default is **name**(Table).

append specifies that **table** append its collection information into the collection named in **name**().

replace permits **table** to overwrite an existing collection. This option is implied for **name**(Table) when **append** is not specified.

label(*filename*) specifies the *filename* containing the collection labels to use for your table. Labels in *filename* will be loaded for the table, and any labels not specified in *filename* will be taken from the labels defined in **c**(collect_label). The default is to use only the collection labels set in **c**(collect_label); see [TABLES] **set collect_label**.

style(*filename* [, *override*]) specifies the *filename* containing the collection styles to use for your table. The default collection styles will be discarded, and only the collection styles in *filename* will be applied.

If you prefer the default collection styles but also want to apply any styles in *filename*, specify `override`. If there are conflicts between the default collection styles and those in *filename*, the ones in *filename* will take precedence.

The default is to use only the collection styles set in `c(table_style)`; see [TABLES] [set table_style](#).

The following option is available with `table` but is not shown in the dialog box:

`markvar(newvar)` generates an indicator variable that identifies the observations used in the tabulation.

Remarks and examples

[stata.com](http://www.stata.com)

Remarks are presented under the following headings:

- [Tabulation of one variable](#)
- [Tabulation, including percentages](#)
- [Customizing results](#)
- [Advanced customization](#)

Tabulation of one variable

To obtain a one-way tabulation that reports the number of observations for each level of a categorical variable, we need specify only the name of the categorical variable following `table`.

To demonstrate, we use data from the Second National Health and Nutrition Examination Survey (NHANES II) (McDowell et al. 1981). We tabulate the `hlthstat` variable, which contains individuals' self-reported health status categories.

```
. use https://www.stata-press.com/data/r17/nhanes21
(Second National Health and Nutrition Examination Survey)
. table hlthstat
```

	Frequency
Health status	
Excellent	2,407
Very good	2,591
Good	2,938
Fair	1,670
Poor	729
Total	10,335

We see that more people self-reported having excellent, very good, or good health status than reported having fair or poor health status.

Above, we see frequencies for those who reported a health status. This information is not available for some individuals in the dataset. We can determine how many missing values we have for this variable by adding the `missing` option

```
. table hlthstat, missing
```

	Frequency
Health status	
Excellent	2,407
Very good	2,591
Good	2,938
Fair	1,670
Poor	729
.	2
Blank but applicable	14
Total	10,351

We find that there is missing health status data for 16 individuals—2 with a generic missing value and 14 whose responses were labeled “Blank but applicable”.

Tabulation, including percentages

In addition to frequencies, we can report the proportion or percentage of observations in each health status category. By default, `table` reports frequencies, which is equivalent to including the `statistic(frequency)` option. Here we include that option along with the `statistic(percent)` option to report both frequencies and percentages.

```
. table hlthstat, statistic(frequency) statistic(percent)
```

	Frequency	Percent
Health status		
Excellent	2,407	23.29
Very good	2,591	25.07
Good	2,938	28.43
Fair	1,670	16.16
Poor	729	7.05
Total	10,335	100.00

Now, it is clear that 28.43% of respondents reported having good health.

Customizing results

There are a number of ways that you can customize the results in your table.

In some cases, you may prefer to place frequencies and percentages on the rows and the levels of the variable being tabulated on the columns. To do this, you can include both the row and column specifications in parentheses following `table`. Here we use `result` in the first set of parentheses to request that the statistics be placed on rows and the variable `hlthstat` in the second set of parentheses to request that the levels of this variable be placed on the columns.

```
. table (result) (hlthstat), statistic(frequency) statistic(percent)
```

	Health status					
	Excellent	Very good	Good	Fair	Poor	Total
Frequency	2,407	2,591	2,938	1,670	729	10,335
Percent	23.29	25.07	28.43	16.16	7.05	100.00

Alternatively, we could have omitted `result` and typed

```
. table () (hlthstat), statistic(freq) statistic(percent)
```

Because we requested that `hlthstat` be moved to the columns by specifying it in the second set of parentheses, `table` automatically moves the requested statistics to the rows.

If instead of a short and wide table, you prefer a tall and narrow table, you can specify that both the levels of `hlthstat` and the statistics be used to define the rows by including the variable name and `result` in the first set of parentheses.

```
. table (hlthstat result), statistic(frequency) statistic(percent)
```

Health status		
Excellent		
Frequency	2,407	
Percent	23.29	
Very good		
Frequency	2,591	
Percent	25.07	
Good		
Frequency	2,938	
Percent	28.43	
Fair		
Frequency	1,670	
Percent	16.16	
Poor		
Frequency	729	
Percent	7.05	
Total		
Frequency	10,335	
Percent	100.00	

In addition to modifying the layout of the table, we may want to customize the results reported within the cells of the table. For instance, we can specify that the percentages be reported using only one decimal place by using the `nformat()` option. Here we return to the two-column table layout.

```
. table hlthstat, statistic(frequency) statistic(percent)
> nformat(%5.1f percent)
```

	Frequency	Percent
Health status		
Excellent	2,407	23.3
Very good	2,591	25.1
Good	2,938	28.4
Fair	1,670	16.2
Poor	729	7.1
Total	10,335	100.0

The `table` command produces its output using a default set of styles, typically those defined in the `table` style but could be any other style that you have set as the default by using `set table_style`. When customizing our tables, we can take advantage of one of the styles described in [TABLES] **Predefined styles**. For instance, for tables with only one or two row variables, row labels that are right aligned may be preferred. Here we use the `table-right` style.

```
. table hlthstat, statistic(frequency) statistic(percent)
> nformat(%5.1f percent) style(table-right)
```

	Frequency	Percent
Health status		
Excellent	2,407	23.3
Very good	2,591	25.1
Good	2,938	28.4
Fair	1,670	16.2
Poor	729	7.1
Total	10,335	100.0

Advanced customization

Customization can go beyond the predefined styles and options available to you in the `table` command. `table` creates a collection of results that can be used in combination with the `collect` suite of commands to produce highly customized tables and to export those tables to presentation-ready formats such as HTML, Word, L^AT_EX, PDF, Excel, and more.

Continuing with our example above, if we want to shorten the labels on the column headings, we could use the `collect label levels` command to define our new labels. After a change using `collect`, we can use `collect preview` to see the results.

```
. collect label levels result frequency "Freq" percent "%", modify
. collect preview
```

	Freq	%
Health status		
Excellent	2,407	23.3
Very good	2,591	25.1
Good	2,938	28.4
Fair	1,670	16.2
Poor	729	7.1
Total	10,335	100.0

We could continue making style edits to this table. When we are happy with the result, we can then export it to the format of our choice using `collect export`.

See [TABLES] [collect label](#) for details on the `collect label` command we used here, and for an overview of the `collect` suite, see [TABLES] [Intro](#).

Stored results

`table` stores the following in `r()`:

Scalars

`r(N)` number of observations

Reference

McDowell, A., A. Engel, J. T. Massey, and K. Maurer. 1981. Plan and operation of the Second National Health and Nutrition Examination Survey, 1976–1980. *Vital and Health Statistics* 1(15): 1–144.

Also see

[R] **table** — Table of frequencies, summaries, and command results

[R] **table intro** — Introduction to tables of frequencies, summaries, and command results

[R] **table multiway** — Multiway tables

[R] **table twoway** — Two-way tabulation

[R] **tabulate oneway** — One-way table of frequencies

[TABLES] **Intro** — Introduction