

sts generate — Create variables containing survivor and related functions

[Description](#)
[Functions](#)
[References](#)

[Quick start](#)
[Options](#)
[Also see](#)

[Menu](#)
[Remarks and examples](#)

[Syntax](#)
[Methods and formulas](#)

Description

`sts generate` creates new variables containing the estimated survivor and failure functions, the Nelson–Aalen cumulative hazard (integrated hazard) function, and other related functions. See [\[ST\] sts](#) for an introduction to this command.

`sts generate` can be used with single- or multiple-record or single- or multiple-failure st data.

Quick start

Create new variable `surv` containing the Kaplan–Meier survivor function using `stset` data

```
sts generate surv = s
```

Create `sesurv` containing the pointwise standard error for the survivor function

```
sts generate sesurv = se(s)
```

Create `surv2` with separate survivor functions for each level of `v1`

```
sts generate surv2 = s, by(v1)
```

Create `surv3` with survivor function adjusted for `v2 = 0`

```
sts generate surv3 = s, adjustfor(v2)
```

As above, but create `surv4` with stratification by levels of `svar`

```
sts generate surv3 = s, adjustfor(v2) strata(svar)
```

Create `cumhaz` containing the Nelson–Aalen estimate of the cumulative hazard function, and create `lbchaz` and `ubchaz` containing 95% lower and upper confidence interval bounds for the estimated function

```
sts generate cumhaz = na lbchaz = lb(na) ubchaz = ub(na)
```

Menu

Statistics > Survival analysis > Summary statistics, tests, and tables > Generate survivor and related functions

Syntax

sts generate *newvar* =

$$\{ \text{s} \mid \text{se}(\text{s}) \mid \text{h} \mid \text{se}(\text{lls}) \mid \text{lb}(\text{s}) \mid \text{ub}(\text{s}) \mid \text{f} \mid \text{se}(\text{f}) \mid \text{lb}(\text{f}) \mid \text{ub}(\text{f}) \mid \text{na} \mid \text{se}(\text{na}) \mid \text{lb}(\text{na}) \mid \text{ub}(\text{na}) \mid \text{n} \mid \text{d} \}$$

$$[\text{newvar} = \{ \dots \} \dots] [\text{if}] [\text{in}] [, \text{options}]$$

options

Description

Options

<code>by(<i>varlist</i>)</code>	calculate separately for each group formed by <i>varlist</i>
<code>strata(<i>varlist</i>)</code>	stratify on different groups of <i>varlist</i>
<code>adjustfor(<i>varlist</i> [, <i>suboptions</i>])</code>	adjust the estimates to specific values of <i>varlist</i> ; default is zero values
<code>level(#)</code>	set confidence level; default is level(95)

You must `stset` your data before using `sts generate`; see [ST] [stset](#).

Functions

Main

`s` produces the Kaplan–Meier product-limit estimate of the survivor function, $\widehat{S}(t)$, or, if `adjustfor()` is specified, the baseline survivor function from a Cox regression model on the `adjustfor()` variables. If adjustment to covariate values other than 0 is requested, the baseline survivor function is adjusted to the specified values.

`se(s)` produces the Greenwood, pointwise standard error, $\widehat{\text{se}}\{\widehat{S}(t)\}$. This option may not be used with `adjustfor()`.

`h` produces the estimated hazard component, $\Delta H_j = H(t_j) - H(t_{j-1})$, where t_j is the current failure time and t_{j-1} is the previous one. This is mainly a utility function used to calculate the estimated cumulative hazard, $H(t_j)$, yet you can estimate the hazard via a kernel smooth of the ΔH_j ; see [ST] [sts graph](#). It is recorded at all the points at which a failure occurs and is computed as d_j/n_j , where d_j is the number of failures occurring at time t_j and n_j is the number at risk at t_j before the occurrence of the failures.

`se(lls)` produces $\widehat{\sigma}(t)$, the standard error of $\ln\{-\ln\widehat{S}(t)\}$. This option may not be used with `adjustfor()`.

`lb(s)` produces the lower bound of the confidence interval for $\widehat{S}(t)$ based on $\ln\{-\ln\widehat{S}(t)\}$: $\widehat{S}(t)^{\exp(-z_{\alpha/2}\widehat{\sigma}(t))}$, where $z_{\alpha/2}$ is the $(1 - \alpha/2)$ quantile of the standard normal distribution. This option may not be used with `adjustfor()`.

`ub(s)` produces the upper bound of the confidence interval for $\widehat{S}(t)$ based on $\ln\{-\ln\widehat{S}(t)\}$: $\widehat{S}(t)^{\exp(z_{\alpha/2}\widehat{\sigma}(t))}$, where $z_{\alpha/2}$ is the $(1 - \alpha/2)$ quantile of the standard normal distribution. This option may not be used with `adjustfor()`.

`f` produces the Kaplan–Meier product-limit estimate of the failure function, $1 - \widehat{S}(t)$, or, if `adjustfor()` is specified, produces the baseline failure function from a Cox regression model on the `adjustfor()` variables. If adjustment to covariate values other than 0 is requested, the baseline failure function is adjusted to the specified values.

- `se(f)` produces the Greenwood, pointwise standard error, $\widehat{se}\{1 - \widehat{S}(t)\} = \widehat{se}\{\widehat{S}(t)\}$. This option may not be used with `adjustfor()` and is a synonym for `se(s)`, except the variable labeling.
- `lb(f)` produces the lower bound of the confidence interval for $1 - \widehat{S}(t)$ based on $\ln\{-\ln \widehat{S}(t)\}$: $\widehat{S}(t)^{\exp(-z_{\alpha/2}\widehat{\sigma}(t))}$, where $z_{\alpha/2}$ is the $(1 - \alpha/2)$ quantile of the standard normal distribution. This option may not be used with `adjustfor()`.
- `ub(f)` produces the upper bound of the confidence interval for $1 - \widehat{S}(t)$ based on $\ln\{-\ln \widehat{S}(t)\}$: $\widehat{S}(t)^{\exp(z_{\alpha/2}\widehat{\sigma}(t))}$, where $z_{\alpha/2}$ is the $(1 - \alpha/2)$ quantile of the standard normal distribution. This option may not be used with `adjustfor()`.
- `na` produces the Nelson–Aalen estimate of the cumulative hazard function. This option may not be used with `adjustfor()`.
- `se(na)` produces pointwise standard error for the Nelson–Aalen estimate of the cumulative hazard function, $\widehat{H}(t)$. This option may not be used with `adjustfor()`.
- `lb(na)` produces the lower bound of the confidence interval for $\widehat{H}(t)$ based on the log-transformed cumulative hazard function. This option may not be used with `adjustfor()`.
- `ub(na)` produces the corresponding upper bound. This option may not be used with `adjustfor()`.
- `n` produces n_j , the number at risk just before time t_j . This option may not be used with `adjustfor()`.
- `d` produces d_j , the number failing at time t_j . This option may not be used with `adjustfor()`.

Options

Options

`by(varlist)` performs a separate calculation for each by-group. By-groups are identified by equal values of the variables in *varlist*. `by()` may not be combined with `strata()`.

`strata(varlist)` requests estimates of the survivor, failure, and hazard functions stratified on variables in *varlist*. It requires specifying `adjustfor()` and may not be combined with `by()`.

`adjustfor(varlist[, suboptions])` adjusts the estimates of the survivor, failure, and hazard functions to specific values of *varlist*. The default is to adjust to 0 values, that is, to produce a baseline function. If you want to adjust the function to values different from 0, you can use `adjustfor()`'s `at()` suboption. `adjustfor()` is available only with functions `s`, `f`, and `h`.

suboptions are `atzeros` (the default), `atmeans`, `atomeans`, `atbase`, and `at()`; see [ST] [adjust-for_option](#).

If you specify `adjustfor()` with `by()`, `sts generate` fits separate Cox regression models for each group, using the `adjustfor()` variables as covariates. The separately calculated baseline functions are then retrieved.

If you specify `adjustfor()` with `strata()`, `sts generate` fits a stratified-on-group Cox regression model, using the `adjustfor()` variables as covariates. The stratified baseline function is then retrieved.

If adjustment to covariate values other than 0 is requested, the function is estimated at the specified covariate values.

`level(#)` specifies the confidence level, as a percentage, for the `lb(s)`, `ub(s)`, `lb(f)`, `ub(f)`, `lb(na)`, and `ub(na)` functions. The default is `level(95)` or as set by `set level`; see [U] [20.8 Specifying the width of confidence intervals](#).

Remarks and examples

`sts generate` is a seldom-used command that gives you access to the calculations listed by `sts list` and graphed by `sts graph`.

Use of this command is demonstrated in [\[ST\] sts](#).

Methods and formulas

See [\[ST\] sts](#).

References

See [\[ST\] sts](#) for references.

Also see

[\[ST\] sts](#) — Generate, graph, list, and test the survivor and related functions

[\[ST\] sts graph](#) — Graph the survivor or related function

[\[ST\] sts list](#) — List the survivor or related function

[\[ST\] sts test](#) — Test equality of survivor functions

[\[ST\] stset](#) — Declare data to be survival-time data

[\[ST\] *adjustfor_option*](#) — Adjust survivor and related functions for covariates at specific values