

**collect style use** — Use collection styles from disk

[Description](#)  
[Options](#)  
[Also see](#)

[Quick start](#)  
[Remarks and examples](#)

[Menu](#)  
[Stored results](#)

[Syntax](#)  
[Reference](#)

## Description

`collect style use` reads style properties and layout information from a file and applies them to a collection.

## Quick start

Apply any style properties in `mystyle.stjson` that are not specified in the current collection; also apply layout information from the file if no layout exists in the collection

```
collect style use mystyle
```

As above, but for any style properties that are specified in both `mystyle.stjson` and the current collection, override the current specification with the one in `mystyle.stjson`

```
collect style use mystyle, override
```

Replace the current style with the one specified in `mystyle.stjson`

```
collect style use mystyle, replace
```

Replace the current style and layout information with those specified in `mystyle.stjson`

```
collect style use mystyle, replace layout
```

## Menu

Statistics > Summaries, tables, and tests > Tables and collections > Collect styles > Use styles

## Syntax

```
collect style use style [ , options ]
```

*style* specifies the name of a file that defines layout information and style properties. If *style* is not a filename or a file path, then the following search logic is employed:

1. search ado-path for `style-style.stjson`; use this file if found.
2. search ado-path for `style.stjson`; use this file if found.

<i>options</i>	Description
<code>name(<i>cname</i>)</code>	apply style and layout information to collection <i>cname</i>
<code>layout</code>	replace current layout with the layout defined in <i>style</i>
<code>override</code>	give precedence to style information in <i>style</i> over the collection's current style
<code>replace</code>	replace the collection's style with the one defined in <i>style</i>
<code>[no]warn</code>	display or suppress notes about tags that are not recognized; default is to display

## Options

`name(cname)` specifies a collection *cname* to which the style and layout information are applied. By default, the style and layout information are applied to the current collection.

`layout` replaces the collection's layout with the layout defined in *style*.

`override` specifies that style properties specified in *style* should take precedence over the styles in the collection. The default is to give precedence to the styles in the collection if those styles are found both in *style* and in the collection.

`replace` specifies that the collection's style properties be replaced with the style properties defined in *style*.

`warn` and `nowarn` control the display of notes when `collect` encounters a tag it does not recognize.

`warn`, the default, specifies that `collect` display notes when it encounters a tag it does not recognize.

`nowarn` specifies that `collect` not show the notes.

These options override the `collect_warn` setting; see [TABLES] [set collect\\_warn](#).

## Remarks and examples

[stata.com](http://www.stata.com)

`collect style use` allows you to apply the style and layout information from a file to another collection. You can choose to apply only the style information or both the style and layout information. By default, if a collection has a layout, `collect style use` will keep that layout. Otherwise, `collect style use` will use the layout defined in *style*. Also by default, for any style properties that are specified in both the collection and the file being loaded, the specifications in the collection will take precedence. However, you can choose to give precedence to the style properties in the file or to completely replace the current style with the one in the file.

To demonstrate, we use data from the Second National Health and Nutrition Examination Survey (NHANES II) (McDowell et al. 1981). Below, we fit a model for systolic blood pressure as a function of age. We use the `collect` prefix to collect the coefficients (`_r_b`), and we specify the `quietly` prefix to suppress the output.

```
. use https://www.stata-press.com/data/r17/nhanes2
. quietly: collect _r_b: regress bpsystol age
```

Then, we make some modifications to the style. First, we format the results to display only two digits after the decimal. Then, we specify that the constant (`_cons`) be placed at the end of the list of covariates. Next, we arrange the values in our collection with `collect layout`. We place the covariate names (`colname`) on the rows and the statistics (`result`) on the columns. We save these style properties and layout information in a file called `myreg.stjson`. The `replace` option allows us to overwrite that file if it exists.

```
. collect style cell, nformat(%5.2f)
. collect style _cons last
. collect layout (colname) (result)
Collection: default
  Rows: colname
  Columns: result
Table 1: 2 x 1
```

	Coefficient
Age (years)	0.65
Intercept	99.86

```
. collect style save myreg, replace
(style from default saved to file myreg.stjson)
```

Next, we create a new collection called `logit`, which then becomes the `current collection`. In this collection, we collect coefficients from a logistic regression of `highbp`, which indicates whether someone has high blood pressure.

```
. collect create logit
(current collection is logit)
. quietly: collect _r_b: logit highbp age
```

Here we explore a different style. We list the constant first, and we place the variable names on the columns:

```
. collect style _cons first
. collect layout (result) (colname)
Collection: logit
  Rows: result
  Columns: colname
Table 1: 1 x 2
```

	Intercept	Age (years)
Coefficient	-2.615888	.0472671

Looking at this table, we now decide that we prefer the style and layout from our other collection. We load that file with `collect style use`. We want to replace all our current style properties with those defined in `myreg.stjson`, so we specify the `replace` option. We also use the `layout` option to replace our current layout with the one from the file.

```
. collect style use myreg.stjson, replace layout
Collection: logit
  Rows: colname
  Columns: result
  Table 1: 2 x 1
. collect preview
```

	Coefficient
Age (years)	0.05
Intercept	-2.62

Now, we see that our rows correspond to the covariates, the intercept is listed last, and our results are formatted with only two digits after the decimal.

## Stored results

`collect style use` stores the following in `s()`:

```
Macros
  s(collection)  name of collection
  s(filename)    name of the file used
```

## Reference

McDowell, A., A. Engel, J. T. Massey, and K. Maurer. 1981. Plan and operation of the Second National Health and Nutrition Examination Survey, 1976–1980. *Vital and Health Statistics* 1(15): 1–144.

## Also see

[TABLES] [collect style save](#) — Save collection styles to disk