

Example 2 — Table of medians and rank-sum test results

Description

Remarks and examples

Reference

Also see

Description

In this example, we demonstrate how to use `table` to compute medians and store them in a collection. We also use `collect` to store the results of rank-sum tests in the collection and then create a customized table combining the results.

Remarks and examples

Remarks are presented under the following headings:

Computing and collecting statistics

Customizing the table

Computing and collecting statistics

Below, we use data from the Second National Health and Nutrition Examination Survey (NHANES II) (McDowell et al. 1981). We wish to compute the median age, weight, systolic blood pressure (`bpsystol`), cholesterol, and iron for individuals who have diabetes and those who do not. We use the `table` command to compute these statistics. The first set of parentheses places the variables on the rows of the table, and the second set places the levels of `diabetes` on the columns. By default, `table` will display the table and store the results in a collection called `Table`. Also by default, `table` will report the statistics for each group, in our case diabetics and nondiabetics, and for the full dataset. We use `nototals` to suppress those medians for the full dataset.

```
. use https://www.stata-press.com/data/r19/nhanes21
(Second National Health and Nutrition Examination Survey)
. table (var) (diabetes),
> statistic(median age weight bpsystol tcreresult iron) nototals
```

	Diabetes status	
	Not diabetic	Diabetic
Age (years)	48	64
Weight (kg)	70.19	74.84
Systolic blood pressure	128	142
Serum cholesterol (mg/dL)	212	223
Serum iron (mcg/dL)	96	88

We would also like to perform a rank-sum test for each of those variables to test whether the distributions are the same across the categories of diabetes. If we wanted to perform the test only for age, we could type

```
. ranksum age, by(diabetes)
```

Because we want to perform the test for multiple variables, we write a loop to issue the `ranksum` command for each variable. We use the `collect` prefix to collect the two-sided p -value (`r(p)`). The `tag()` option tags the results with the dimension `var`, which will allow us to align these results with the medians we computed above.

```
. foreach x in age weight bpsystol tresult iron {
2.     quietly: collect r(p), tag(var['x']): ranksum 'x', by(diabetes)
3. }
```

We want to create a table with the medians we computed with `table` and the p -values we collected with the `collect` prefix. `collect` stored the results in the current collection, so we have the results all in one place. Now, we can use `collect layout` to arrange the items from the collection into a table. Again, we place the variables on the rows and the levels of diabetes and the statistics from `ranksum` on the columns.

```
. collect layout (var) (diabetes result)
Collection: Table
  Rows: var
  Columns: diabetes result
  Table 1: 5 x 3
(output omitted)
```

We omit the table preview here because of the table’s width.

Customizing the table

The table above is wide because of the long label for the p -values. We can see the labels by using the `collect label list` command with the `result` dimension.

```
. collect label list result
Collection: Table
  Dimension: result
  Label: Result
Level labels:
  N Sample size
  N_1 Sample size of first group
  N_2 Sample size of second group
  Var_a Adjusted variance
  group1 Value of variable for first group
  median Median
  p Two-sided p-value from normal approximation
  p_l Lower one-sided p-value from normal approximation
  p_u Upper one-sided p-value from normal approximation
  sum_exp Expected sum of ranks for first group
  sum_obs Observed sum of ranks for first group
  z Z statistic
```

The p -values correspond to the level `p` of the dimension `result`. Below, we modify this label with `collect label levels`. Then, we preview our table:

```
. collect label levels result p "p-value", modify
. collect preview
```

	Diabetes status		p-value
	Not diabetic	Diabetic	
Age (years)	48	64	9.33e-69
Weight (kg)	70.19	74.84	1.12e-10
Systolic blood pressure	128	142	3.61e-43
Serum cholesterol (mg/dL)	212	223	.0000178
Serum iron (mcg/dL)	96	88	2.17e-08

Because labels for the levels of diabetes are descriptive enough, we can hide the title for the dimension. We format the p -values to have three decimal places. We also remove the vertical border. Then, we preview our table once more:

```
. collect style header diabetes, title(hide)
. collect style cell result[p], nformat(%5.3f)
. collect style cell border_block, border(right, pattern(nil))
. collect preview
```

	Not diabetic	Diabetic	p-value
Age (years)	48	64	0.000
Weight (kg)	70.19	74.84	0.000
Systolic blood pressure	128	142	0.000
Serum cholesterol (mg/dL)	212	223	0.000
Serum iron (mcg/dL)	96	88	0.000

In fact, we prefer not to report our p -values in this form. Instead, we can display them as being less than 0.001. With `collect style cell`, we can specify a minimum value, and any p -values smaller than the minimum will be displayed as simply less than that minimum:

```
. collect style cell result[p], minimum(0.001)
. collect preview
```

	Not diabetic	Diabetic	p-value
Age (years)	48	64	<0.001
Weight (kg)	70.19	74.84	<0.001
Systolic blood pressure	128	142	<0.001
Serum cholesterol (mg/dL)	212	223	<0.001
Serum iron (mcg/dL)	96	88	<0.001

See [\[TABLES\] collect style header](#) and [\[TABLES\] collect style cell](#) for more information on the commands we used here to customize the table.

Reference

McDowell, A., A. Engel, J. T. Massey, and K. Maurer. 1981. "Plan and operation of the Second National Health and Nutrition Examination Survey, 1976–1980". In *Vital and Health Statistics*, ser. 1, no. 15. Hyattsville, MD: National Center for Health Statistics.

Also see

[\[R\] table](#) — Table of frequencies, summaries, and command results

[\[TABLES\] collect get](#) — Collect results from a Stata command

Stata, Stata Press, and Mata are registered trademarks of StataCorp LLC. Stata and Stata Press are registered trademarks with the World Intellectual Property Organization of the United Nations. StataNow and NetCourseNow are trademarks of StataCorp LLC. Other brand and product names are registered trademarks or trademarks of their respective companies. Copyright © 1985–2025 StataCorp LLC, College Station, TX, USA. All rights reserved.

For suggested citations, see the FAQ on [citing Stata documentation](#).

