

Contents

intro	Introduction to time-series manual
time series	Introduction to time-series commands
arch	Autoregressive conditional heteroskedasticity (ARCH) family of estimators
arch postestimation	Postestimation tools for arch
arfima	Autoregressive fractionally integrated moving-average models
arfima postestimation	Postestimation tools for arfima
arima	ARIMA, ARMAX, and other dynamic regression models
arima postestimation	Postestimation tools for arima
corrgram	Tabulate and graph autocorrelations
cumsp	Cumulative spectral distribution
dfactor	Dynamic-factor models
dfactor postestimation	Postestimation tools for dfactor
dfgls	DF-GLS unit-root test
dfuller	Augmented Dickey–Fuller unit-root test
estat acplot	Plot parametric autocorrelation and autocovariance functions
estat aroots	Check the stability condition of ARIMA estimates
estat sbcusum	Cumulative sum test for parameter stability
estat sbknown	Test for a structural break with a known break date
estat sbsingle	Test for a structural break with an unknown break date
fcast compute	Compute dynamic forecasts after var, svar, or vec
fcast graph	Graph forecasts after fcast compute
forecast	Econometric model forecasting
forecast adjust	Adjust a variable by add factoring, replacing, etc.
forecast clear	Clear current model from memory
forecast coefvector	Specify an equation via a coefficient vector
forecast create	Create a new forecast model
forecast describe	Describe features of the forecast model
forecast drop	Drop forecast variables
forecast estimates	Add estimation results to a forecast model
forecast exogenous	Declare exogenous variables
forecast identity	Add an identity to a forecast model
forecast list	List forecast commands composing current model
forecast query	Check whether a forecast model has been started
forecast solve	Obtain static and dynamic forecasts
irf	Create and analyze IRFs, dynamic-multiplier functions, and FEVDs
irf add	Add results from an IRF file to the active IRF file
irf cgraph	Combined graphs of IRFs, dynamic-multiplier functions, and FEVDs
irf create	Obtain IRFs, dynamic-multiplier functions, and FEVDs
irf ctable	Combined tables of IRFs, dynamic-multiplier functions, and FEVDs
irf describe	Describe an IRF file
irf drop	Drop IRF results from the active IRF file
irf graph	Graphs of IRFs, dynamic-multiplier functions, and FEVDs
irf ograph	Overlaid graphs of IRFs, dynamic-multiplier functions, and FEVDs

irf rename	Rename an IRF result in an IRF file
irf set	Set the active IRF file
irf table	Tables of IRFs, dynamic-multiplier functions, and FEVDs
mgarch	Multivariate GARCH models
mgarch ccc	Constant conditional correlation multivariate GARCH models
mgarch ccc postestimation	Postestimation tools for mgarch ccc
mgarch dcc	Dynamic conditional correlation multivariate GARCH models
mgarch dcc postestimation	Postestimation tools for mgarch dcc
mgarch dvec	Diagonal vech multivariate GARCH models
mgarch dvec postestimation	Postestimation tools for mgarch dvec
mgarch vcc	Varying conditional correlation multivariate GARCH models
mgarch vcc postestimation	Postestimation tools for mgarch vcc
mswitch	Markov-switching regression models
mswitch postestimation	Postestimation tools for mswitch
newey	Regression with Newey–West standard errors
newey postestimation	Postestimation tools for newey
pergram	Periodogram
pperron	Phillips–Perron unit-root test
prais	Prais–Winsten and Cochrane–Orcutt regression
prais postestimation	Postestimation tools for prais
psdensity	Parametric spectral density estimation after arima, arfima, and ucm
rolling	Rolling-window and recursive estimation
sspace	State-space models
sspace postestimation	Postestimation tools for sspace
threshold	Threshold regression
threshold postestimation	Postestimation tools for threshold
tsappend	Add observations to a time-series dataset
tsfill	Fill in gaps in time variable
tsfilter	Filter a time-series, keeping only selected periodicities
tsfilter bk	Baxter–King time-series filter
tsfilter bw	Butterworth time-series filter
tsfilter cf	Christiano–Fitzgerald time-series filter
tsfilter hp	Hodrick–Prescott time-series filter
tsline	Plot time-series data
tsreport	Report time-series aspects of a dataset or estimation sample
tsrevar	Time-series operator programming command
tsset	Declare data to be time-series data
tssmooth	Smooth and forecast univariate time-series data
tssmooth dexponential	Double-exponential smoothing
tssmooth exponential	Single-exponential smoothing
tssmooth hwinters	Holt–Winters nonseasonal smoothing
tssmooth ma	Moving-average filter
tssmooth nl	Nonlinear filter
tssmooth shwinters	Holt–Winters seasonal smoothing
ucm	Unobserved-components model
ucm postestimation	Postestimation tools for ucm
var intro	Introduction to vector autoregressive models

var	Vector autoregressive models
var postestimation	Postestimation tools for var
var svar	Structural vector autoregressive models
var svar postestimation	Postestimation tools for svar
varbasic	Fit a simple VAR and graph IRFs or FEVDs
varbasic postestimation	Postestimation tools for varbasic
vargranger	Perform pairwise Granger causality tests after var or svar
varlmar	Perform LM test for residual autocorrelation after var or svar
varnorm	Test for normally distributed disturbances after var or svar
varsoc	Obtain lag-order selection statistics for VARs and VECMs
varstable	Check the stability condition of VAR or SVAR estimates
varwle	Obtain Wald lag-exclusion statistics after var or svar
vec intro	Introduction to vector error-correction models
vec	Vector error-correction models
vec postestimation	Postestimation tools for vec
vec1mar	Perform LM test for residual autocorrelation after vec
vecnorm	Test for normally distributed disturbances after vec
vecrank	Estimate the cointegrating rank of a VECM
vecstable	Check the stability condition of VECM estimates
wntestb	Bartlett's periodogram-based test for white noise
wntestq	Portmanteau (Q) test for white noise
xcorr	Cross-correlogram for bivariate time series
Glossary	
Subject and author index	