

xtprobit — Random-effects and population-averaged probit models

Syntax	Menu	Description	Options for RE model
Options for PA model	Remarks and examples	Stored results	Methods and formulas
References	Also see		

Syntax

Random-effects (RE) model

```
xtprobit depvar [indepvars] [if] [in] [weight] [, re RE_options]
```

Population-averaged (PA) model

```
xtprobit depvar [indepvars] [if] [in] [weight] , pa [PA_options]
```

<i>RE_options</i>	Description
<hr/>	
Model	
<code>noconstant</code>	suppress constant term
<code>re</code>	use random-effects estimator; the default
<code>offset(<i>varname</i>)</code>	include <i>varname</i> in model with coefficient constrained to 1
<code>constraints(<i>constraints</i>)</code>	apply specified linear constraints
<code>collinear</code>	keep collinear variables
<code>asis</code>	retain perfect predictor variables
SE/Robust	
<code>vce(<i>vcetype</i>)</code>	<i>vcetype</i> may be <code>oim</code> , <code>robust</code> , <code>cluster <i>clustvar</i></code> , <code>bootstrap</code> , or <code>jackknife</code>
Reporting	
<code>level(#)</code>	set confidence level; default is <code>level(95)</code>
<code>noskip</code>	perform overall model test as a likelihood-ratio test
<code>nocnsreport</code>	do not display constraints
<code>display_options</code>	control column formats, row spacing, line width, display of omitted variables and base and empty cells, and factor-variable labeling
Integration	
<code>intmethod(<i>intmethod</i>)</code>	integration method; <i>intmethod</i> may be <code>mvaghermite</code> (the default) or <code>ghermite</code>
<code>intpoints(#)</code>	use # quadrature points; default is <code>intpoints(12)</code>
Maximization	
<code>maximize_options</code>	control the maximization process; seldom used
<code>coeflegend</code>	display legend instead of statistics

2 xtprobit — Random-effects and population-averaged probit models

<i>PA_options</i>	Description
Model	
<code>noconstant</code>	suppress constant term
<code>pa</code>	use population-averaged estimator
<code>offset(<i>varname</i>)</code>	include <i>varname</i> in model with coefficient constrained to 1
<code>asis</code>	retain perfect predictor variables
Correlation	
<code>corr(<i>correlation</i>)</code>	within-panel correlation structure
<code>force</code>	estimate even if observations unequally spaced in time
SE/Robust	
<code>vce(<i>vcetype</i>)</code>	<i>vcetype</i> may be <code>conventional</code> , <code>robust</code> , <code>bootstrap</code> , or <code>jackknife</code>
<code>nmp</code>	use divisor $N - P$ instead of the default N
<code>scale(<i>parm</i>)</code>	overrides the default scale parameter; <i>parm</i> may be <code>x2</code> , <code>dev</code> , <code>phi</code> , or <code>#</code>
Reporting	
<code>level(#)</code>	set confidence level; default is <code>level(95)</code>
<code>display_options</code>	control column formats, row spacing, line width, display of omitted variables and base and empty cells, and factor-variable labeling
Optimization	
<code>optimize_options</code>	control the optimization process; seldom used
<code>coeflegend</code>	display legend instead of statistics

<i>correlation</i>	Description
<code>exchangeable</code>	exchangeable
<code>independent</code>	independent
<code>unstructured</code>	unstructured
<code>fixed <i>matname</i></code>	user-specified
<code>ar #</code>	autoregressive of order #
<code>stationary #</code>	stationary of order #
<code>nonstationary #</code>	nonstationary of order #

A panel variable must be specified. For `xtprobit`, `pa`, correlation structures other than `exchangeable` and `independent` require that a time variable also be specified. Use `xtset`; see [XT] `xtset`.

`indepvvars` may contain factor variables; see [U] 11.4.3 **Factor variables**.

`depvvar` and `indepvvars` may contain time-series operators; see [U] 11.4.4 **Time-series varlists**.

`by`, `mi estimate`, and `statsby` are allowed; see [U] 11.1.10 **Prefix commands**. `fp` is allowed for the random-effects model.

`vce(bootstrap)` and `vce(jackknife)` are not allowed with the `mi estimate` prefix; see [MI] **mi estimate**.

`weights`, `fweights`, and `pweights` are allowed for the population-averaged model, and `weights` are allowed for the random-effects model; see [U] 11.1.6 **weight**. Weights must be constant within panel.

`coeflegend` does not appear in the dialog box.

See [U] 20 **Estimation and postestimation commands** for more capabilities of estimation commands.

Menu

Statistics > Longitudinal/panel data > Binary outcomes > Probit regression (RE, PA)

Description

`xtprobit` fits random-effects and population-averaged probit models. There is no command for a conditional fixed-effects model, as there does not exist a sufficient statistic allowing the fixed effects to be conditioned out of the likelihood. Unconditional fixed-effects probit models may be fit with the `probit` command with indicator variables for the panels. However, unconditional fixed-effects estimates are biased.

By default, the population-averaged model is an equal-correlation model; `xtprobit`, `pa` assumes `corr(exchangeable)`. See [XT] [xtgee](#) for information about how to fit other population-averaged models.

See [R] [logistic](#) for a list of related estimation commands.

Options for RE model

Model

`noconstant`; see [R] [estimation options](#).

`re` requests the random-effects estimator. `re` is the default if neither `re` nor `pa` is specified.

`offset(varname)`, `constraints(constraints)`, `collinear`; see [R] [estimation options](#).

`asis` forces retention of perfect predictor variables and their associated, perfectly predicted observations and may produce instabilities in maximization; see [R] [probit](#).

SE/Robust

`vce(vcetype)` specifies the type of standard error reported, which includes types that are derived from asymptotic theory (`oim`), that are robust to some kinds of misspecification (`robust`), that allow for intragroup correlation (`cluster clustvar`), and that use bootstrap or jackknife methods (`bootstrap`, `jackknife`); see [XT] [vce_options](#).

Specifying `vce(robust)` is equivalent to specifying `vce(cluster panelvar)`; see [xtprobit](#), [re](#) and [the robust VCE estimator](#) in *Methods and formulas*.

Reporting

`level(#)`, `noskip`; see [R] [estimation options](#).

`nocnsreport`; see [R] [estimation options](#).

`display_options`: `noomitted`, `vsquish`, `noemptycells`, `baselevels`, `allbaselevels`, `novlabel`, `fvwrap(#)`, `fvwrapon(style)`, `cformat(%fmt)`, `pformat(%fmt)`, `sformat(%fmt)`, and `nolstretch`; see [R] [estimation options](#).

Integration

`intmethod(intmethod)`, `intpoints(#)`; see [R] [estimation options](#).

Maximization

maximize_options: [difficult](#), [technique\(*algorithm_spec*\)](#), [iterate\(#\)](#), [\[no\]log](#), [trace](#), [gradient](#), [showstep](#), [hessian](#), [showtolerance](#), [tolerance\(#\)](#), [ltolerance\(#\)](#), [nrtolerance\(#\)](#), [nonrtolerance](#), and [from\(*init_specs*\)](#); see [R] [maximize](#). These options are seldom used.

The following option is available with `xtprobit` but is not shown in the dialog box:

`coeflegend`; see [R] [estimation options](#).

Options for PA model

Model

`noconstant`; see [R] [estimation options](#).

`pa` requests the population-averaged estimator.

`offset(varname)`; see [R] [estimation options](#).

`asis` forces retention of perfect predictor variables and their associated, perfectly predicted observations and may produce instabilities in maximization; see [R] [probit](#).

Correlation

`corr(correlation)` specifies the within-panel correlation structure; the default corresponds to the equal-correlation model, `corr(exchangeable)`.

When you specify a correlation structure that requires a lag, you indicate the lag after the structure's name with or without a blank; for example, `corr(ar 1)` or `corr(ar1)`.

If you specify the fixed correlation structure, you specify the name of the matrix containing the assumed correlations following the word `fixed`, for example, `corr(fixed myr)`.

`force` specifies that estimation be forced even though the time variable is not equally spaced.

This is relevant only for correlation structures that require knowledge of the time variable. These correlation structures require that observations be equally spaced so that calculations based on lags correspond to a constant time change. If you specify a time variable indicating that observations are not equally spaced, the (time dependent) model will not be fit. If you also specify `force`, the model will be fit, and it will be assumed that the lags based on the data ordered by the time variable are appropriate.

SE/Robust

`vce(vcetype)` specifies the type of standard error reported, which includes types that are derived from asymptotic theory (`conventional`), that are robust to some kinds of misspecification (`robust`), and that use bootstrap or jackknife methods (`bootstrap`, `jackknife`); see [XT] [vce_options](#).

`vce(conventional)`, the default, uses the conventionally derived variance estimator for generalized least-squares regression.

`nmp`, `scale(x2 | dev | phi | #)`; see [XT] [vce_options](#).

Reporting

`level(#)`; see [R] [estimation options](#).

display_options: `noomitted`, `vsquish`, `noemptycells`, `baselevels`, `allbaselevels`, `novlabel`, `fvwrap(#)`, `fvwrapon(style)`, `cformat(%fmt)`, `pformat(%fmt)`, `sformat(%fmt)`, and `no1stretch`; see [R] [estimation options](#).

Optimization

optimize_options control the iterative optimization process. These options are seldom used.

`iterate(#)` specifies the maximum number of iterations. When the number of iterations equals `#`, the optimization stops and presents the current results, even if convergence has not been reached. The default is `iterate(100)`.

`tolerance(#)` specifies the tolerance for the coefficient vector. When the relative change in the coefficient vector from one iteration to the next is less than or equal to `#`, the optimization process is stopped. `tolerance(1e-6)` is the default.

`nolog` suppresses display of the iteration log.

`trace` specifies that the current estimates be printed at each iteration.

The following option is available with `xtprobit` but is not shown in the dialog box:

`coeflegend`; see [R] [estimation options](#).

Remarks and examples

[stata.com](http://www.stata.com)

`xtprobit` is a convenience command for obtaining the population-averaged model. Typing

```
. xtprobit ..., pa ...
```

is equivalent to typing

```
. xtgee ..., ... family(binomial) link(probit) corr(exchangeable)
```

See also [XT] [xtgee](#) for information about `xtprobit`.

By default or when `re` is specified, `xtprobit` fits via maximum likelihood the random-effects model

$$\Pr(y_{it} \neq 0 | \mathbf{x}_{it}) = \Phi(\mathbf{x}_{it}\boldsymbol{\beta} + \nu_i)$$

for $i = 1, \dots, n$ panels, where $t = 1, \dots, n_i$, ν_i are i.i.d., $N(0, \sigma_\nu^2)$, and Φ is the standard normal cumulative distribution function.

Underlying this model is the variance components model

$$y_{it} \neq 0 \iff \mathbf{x}_{it}\boldsymbol{\beta} + \nu_i + \epsilon_{it} > 0$$

where ϵ_{it} are i.i.d. Gaussian distributed with mean zero and variance $\sigma_\epsilon^2 = 1$, independently of ν_i .

► Example 1: Random-effects model

We are studying unionization of women in the United States and are using the `union` dataset; see [XT] [xt](#). We wish to fit a random-effects model of union membership:

6 xtprobit — Random-effects and population-averaged probit models

```

. use http://www.stata-press.com/data/r13/union
(NLS Women 14-24 in 1968)

. xtprobit union age grade i.not_smsa south##c.year

Fitting comparison model:

Iteration 0:  log likelihood = -13864.23
Iteration 1:  log likelihood = -13545.541
Iteration 2:  log likelihood = -13544.385
Iteration 3:  log likelihood = -13544.385

Fitting full model:

rho = 0.0    log likelihood = -13544.385
rho = 0.1    log likelihood = -12237.655
rho = 0.2    log likelihood = -11590.282
rho = 0.3    log likelihood = -11211.185
rho = 0.4    log likelihood = -10981.319
rho = 0.5    log likelihood = -10852.793
rho = 0.6    log likelihood = -10808.759
rho = 0.7    log likelihood = -10865.57

Iteration 0:  log likelihood = -10807.712
Iteration 1:  log likelihood = -10599.332
Iteration 2:  log likelihood = -10552.287
Iteration 3:  log likelihood = -10552.225
Iteration 4:  log likelihood = -10552.225

Random-effects probit regression                Number of obs    =    26200
Group variable: idcode                        Number of groups  =     4434
Random effects u_i ~ Gaussian                 Obs per group:   min =         1
                                                avg =         5.9
                                                max =         12

Integration method: mvaghermite               Integration points =     12

Log likelihood = -10552.225                   Wald chi2(6)     =     220.91
                                                Prob > chi2      =     0.0000

```

union	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
age	.0082967	.0084599	0.98	0.327	-.0082843	.0248778
grade	.0482731	.0099469	4.85	0.000	.0287776	.0677686
1.not_smsa	-.139657	.0460548	-3.03	0.002	-.2299227	-.0493913
1.south	-1.584394	.358473	-4.42	0.000	-2.286989	-.8818002
year	-.0039854	.0088399	-0.45	0.652	-.0213113	.0133406
south#c.year						
1	.0134017	.0044622	3.00	0.003	.0046559	.0221475
_cons	-1.668202	.4751819	-3.51	0.000	-2.599542	-.7368628
/lnsig2u	.6103616	.0458783			.5204418	.7002814
sigma_u	1.35687	.0311255			1.297217	1.419267
rho	.6480233	.0104643			.6272511	.6682502

Likelihood-ratio test of rho=0: chibar2(01) = 5984.32 Prob >= chibar2 = 0.000

The output includes the additional panel-level variance component, which is parameterized as the log of the variance $\ln(\sigma_\nu^2)$ (labeled `lnsig2u` in the output). The standard deviation σ_ν is also included in the output (labeled `sigma_u`) together with ρ (labeled `rho`), where

$$\rho = \frac{\sigma_\nu^2}{\sigma_\nu^2 + 1}$$

which is the proportion of the total variance contributed by the panel-level variance component.

When ρ is zero, the panel-level variance component is unimportant, and the panel estimator is not different from the pooled estimator. A likelihood-ratio test of this is included at the bottom of the output. This test formally compares the pooled estimator (probit) with the panel estimator.



□ Technical note

The random-effects model is calculated using quadrature, which is an approximation whose accuracy depends partially on the number of integration points used. We can use the `quadchk` command to see if changing the number of integration points affects the results. If the results change, the quadrature approximation is not accurate given the number of integration points. Try increasing the number of integration points using the `intpoints()` option and run `quadchk` again. Do not attempt to interpret the results of estimates when the coefficients reported by `quadchk` differ substantially.

```
. quadchk, nooutput
Refitting model intpoints() = 8
Refitting model intpoints() = 16
```

	Quadrature check			
	Fitted quadrature 12 points	Comparison quadrature 8 points	Comparison quadrature 16 points	
Log likelihood	-10552.225	-10554.496	-10552.399	Difference
		-2.2712569	-.17396615	Relative difference
		.00021524	.00001649	
union: age	.00829671	.00828745	.00831488	Difference
		-9.265e-06	.00001817	Relative difference
		-.0011167	.00218987	
union: grade	.0482731	.04860277	.04826287	Difference
		.00032967	-.00001023	Relative difference
		.00682917	-.00021188	
union: 1.not_smsa	-.13965702	-.14057441	-.13953521	Difference
		-.00091739	.00012181	Relative difference
		.00656891	-.00087218	
union: 1.south	-1.5843944	-1.5909857	-1.5843375	Difference
		-.00659135	.00005689	Relative difference
		.00416017	-.00003591	
union: year	-.00398535	-.00397811	-.00400181	Difference
		7.237e-06	-.00001646	Relative difference
		-.00181578	.00412982	
union: 1.south#c.~r	.01340169	.01344457	.01340388	Difference
		.00004288	2.193e-06	Relative difference
		.00319946	.0001636	
union: _cons	-1.6682022	-1.6757524	-1.6665327	Difference
		-.00755024	.00166948	Relative difference
		.00452597	-.00100077	
lnsig2u: _cons	.61036163	.61780789	.60974814	Difference
		.00744626	-.00061349	Relative difference
		.01219976	-.00100513	

The results obtained for 12 quadrature points were closer to the results for 16 points than to the results for eight points. Although the relative and absolute differences are a bit larger than we would like, they are not large. We can increase the number of quadrature points with the `intpoints()` option; if we choose `intpoints(20)` and do another `quadchk` we will get acceptable results, with relative differences around 0.01%.

This is not the case if we use nonadaptive quadrature. Then the results we obtain are

```
. xtprobit union age grade i.not_smsa south#c.year, intmethod(ghermite)
Fitting comparison model:
Iteration 0:  log likelihood = -13864.23
Iteration 1:  log likelihood = -13545.541
Iteration 2:  log likelihood = -13544.385
Iteration 3:  log likelihood = -13544.385
Fitting full model:
rho = 0.0    log likelihood = -13544.385
rho = 0.1    log likelihood = -12237.655
rho = 0.2    log likelihood = -11590.282
rho = 0.3    log likelihood = -11211.185
rho = 0.4    log likelihood = -10981.319
rho = 0.5    log likelihood = -10852.793
rho = 0.6    log likelihood = -10808.759
rho = 0.7    log likelihood = -10865.57
Iteration 0:  log likelihood = -10808.759
Iteration 1:  log likelihood = -10594.349
Iteration 2:  log likelihood = -10560.913
Iteration 3:  log likelihood = -10560.876
Iteration 4:  log likelihood = -10560.876
Random-effects probit regression           Number of obs    =    26200
Group variable: idcode                    Number of groups =    4434
Random effects u_i ~ Gaussian             Obs per group: min =     1
                                           avg =     5.9
                                           max =     12
Integration method: ghermite              Integration points =    12
                                           Wald chi2(6)    =    218.99
Log likelihood = -10560.876               Prob > chi2     =    0.0000
```

union	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
age	.0093488	.0083385	1.12	0.262	-.0069945	.025692
grade	.0488014	.0101168	4.82	0.000	.0289728	.06863
1.not_smsa	-.1364862	.0462831	-2.95	0.003	-.2271995	-.045773
1.south	-1.592711	.3576715	-4.45	0.000	-2.293734	-.8916877
year	-.0053723	.0087219	-0.62	0.538	-.0224668	.0117223
south#c.year						
1	.0136764	.0044532	3.07	0.002	.0049482	.0224046
_cons	-1.575539	.4639881	-3.40	0.001	-2.484939	-.6661388
/lnsig2u	.5615976	.0432021			.476923	.6462722
sigma_u	1.324187	.0286038			1.269295	1.381453
rho	.6368221	.0099918			.617021	.6561699

Likelihood-ratio test of rho=0: `chibar2(01) = 5967.02 Prob >= chibar2 = 0.000`

We now check the stability of the quadrature technique for this nonadaptive quadrature model. We expect it to be less stable.


```

. quadchk, nooutput
Refitting model intpoints() = 8
Refitting model intpoints() = 16

```

	Quadrature check			
	Fitted quadrature 12 points	Comparison quadrature 8 points	Comparison quadrature 16 points	
Log likelihood	-10560.876	-10574.239	-10555.792	Difference
		-13.362535	5.0839579	Relative difference
		.00126529	-.0004814	
union:	.00934876	.01264615	.00731888	Difference
age		.0032974	-.00202987	Relative difference
		.35270966	-.21712744	
union:	.04880139	.05710089	.04432417	Difference
grade		.00829951	-.00447722	Relative difference
		.17006703	-.09174372	
union:	-.13648624	-.13327724	-.14094541	Difference
1.not_smsa		.003209	-.00445917	Relative difference
		-.0235115	.03267123	
union:	-1.592711	-1.5275627	-1.6059143	Difference
1.south		.06514823	-.01320331	Relative difference
		-.04090399	.00828983	
union:	-.00537226	-.00867673	-.00307042	Difference
year		-.00330447	.00230184	Relative difference
		.61509968	-.4284678	
union:	.01367641	.01278071	.01369009	Difference
1.south#c.~r		-.0008957	.00001368	Relative difference
		-.06549266	.00100054	
union:	-1.5755388	-1.4888646	-1.6505526	Difference
_cons		.08667418	-.0750138	Relative difference
		-.0550124	.04761152	
lnsig2u:	.56159763	.49290978	.58068904	Difference
_cons		-.06868786	.0190914	Relative difference
		-.12230795	.03399481	

Once again, the results obtained for 12 quadrature points were closer to the results for 16 points than to the results for eight points. However, here the convergence point seems to be sensitive to the number of quadrature points, so we should not trust these results. We should increase the number of quadrature points with the `intpoints()` option and then use `quadchk` again. We should not use the results of a random-effects specification when there is evidence that the numeric technique for calculating the model is not stable (as shown by `quadchk`).

Generally, the relative differences in the coefficients should not change by more than 1% if the quadrature technique is stable. See [XT] `quadchk` for details. Increasing the number of quadrature points can often improve the stability, and for models with high `rho` we may need many. We can also switch between adaptive and nonadaptive quadrature. As a rule, adaptive quadrature, which is the default integration method, is much more flexible and robust.

Because the `xtprobit`, `re` likelihood function is calculated by Gauss–Hermite quadrature, on large problems the computations can be slow. Computation time is roughly proportional to the number of points used for the quadrature. □

▷ Example 2: Equal-correlation model

As an alternative to the random-effects specification, we can fit an equal-correlation probit model:

```
. xtprobit union age grade i.not_smsa south#c.year, pa
Iteration 1: tolerance = .12544249
Iteration 2: tolerance = .0034686
Iteration 3: tolerance = .00017448
Iteration 4: tolerance = 8.382e-06
Iteration 5: tolerance = 3.997e-07

GEE population-averaged model
Group variable:          idcode      Number of obs      =      26200
Link:                  probit        Number of groups   =      4434
Family:                binomial      Obs per group: min =         1
Correlation:          exchangeable   avg                =       5.9
                                                max                =       12
                                                Wald chi2(6)       =     242.57
Scale parameter:      1              Prob > chi2        =     0.0000
```

union	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
age	.0089699	.0053208	1.69	0.092	-.0014586	.0193985
grade	.0333174	.0062352	5.34	0.000	.0210966	.0455382
1.not_smsa	-.0715717	.027543	-2.60	0.009	-.1255551	-.0175884
1.south	-1.017368	.207931	-4.89	0.000	-1.424905	-.6098308
year	-.0062708	.0055314	-1.13	0.257	-.0171122	.0045706
south#c.year						
1	.0086294	.00258	3.34	0.001	.0035727	.013686
_cons	-.8670997	.294771	-2.94	0.003	-1.44484	-.2893592

◀

▷ Example 3: Population-averaged model

In [example 3](#) of [\[R\] probit](#), we showed the above results and compared them with `probit`, `vce(cluster id)`. `xtprobit` with the `pa` option allows a `vce(robust)` option (the random-effects estimator does not allow the `vce(robust)` specification), so we can obtain the population-averaged probit estimator with the robust variance calculation by typing

```
. xtprobit union age grade i.not_smsa south##c.year, pa vce(robust) nolog
GEE population-averaged model      Number of obs      =      26200
Group variable:                    idcode      Number of groups   =      4434
Link:                               probit      Obs per group: min =         1
Family:                             binomial      avg =         5.9
Correlation:                        exchangeable      max =         12
Scale parameter:                    1          Wald chi2(6)       =     156.33
                                      Prob > chi2       =     0.0000
                                      (Std. Err. adjusted for clustering on idcode)
```

union	Semirobust		z	P> z	[95% Conf. Interval]	
	Coef.	Std. Err.				
age	.0089699	.0051169	1.75	0.080	-.001059	.0189988
grade	.0333174	.0076425	4.36	0.000	.0183383	.0482965
1.not_smsa	-.0715717	.0348659	-2.05	0.040	-.1399076	-.0032359
1.south	-1.017368	.3026981	-3.36	0.001	-1.610645	-.4240906
year	-.0062708	.0055745	-1.12	0.261	-.0171965	.0046549
south#c.year						
1	.0086294	.0037866	2.28	0.023	.0012078	.0160509
_cons	-.8670997	.3243959	-2.67	0.008	-1.502904	-.2312955

These standard errors are similar to those shown for probit, `vce(cluster id)` in [\[R\] probit](#).



▷ Example 4: Random-effects model with stable quadrature

In a [previous example](#), we showed how `quadchk` indicated that the quadrature technique was numerically unstable. Here we present an example in which the quadrature is stable.

In this example, we have (synthetic) data on whether workers complain to managers at fast-food restaurants. The covariates are `age` (in years of the worker), `grade` (years of schooling completed by the worker), `south` (equal to 1 if the restaurant is located in the South), `tenure` (the number of years spent on the job by the worker), `gender` (of the worker), `race` (of the worker), `income` (in thousands of dollars by the restaurant), `genderm` (gender of the manager), `burger` (equal to 1 if the restaurant specializes in hamburgers), and `chicken` (equal to 1 if the restaurant specializes in chicken). The model is given by

```

. use http://www.stata-press.com/data/r13/chicken
. xtprobit complain age grade south tenure gender race income genderm burger
> chicken, nolog
Random-effects probit regression                Number of obs      =      2763
Group variable: restaurant                    Number of groups   =       500
Random effects u_i ~ Gaussian                 Obs per group: min =        3
                                                avg =       5.5
                                                max =        8
Integration method: mvaghermite              Integration points =       12
Wald chi2(10)                                =      126.59
Prob > chi2                                   =       0.0000
Log likelihood = -1318.2088

```

complain	Coef.	Std. Err.	z	P> z	[95% Conf. Interval]	
age	-.0430409	.0130211	-3.31	0.001	-.0685617	-.01752
grade	.0330934	.0264572	1.25	0.211	-.0187618	.0849486
south	.1012	.0707196	1.43	0.152	-.037408	.2398079
tenure	-.0440079	.0987099	-0.45	0.656	-.2374758	.14946
gender	.3318499	.0601382	5.52	0.000	.2139812	.4497185
race	.3417901	.0382251	8.94	0.000	.2668703	.4167098
income	-.0022702	.0008885	-2.56	0.011	-.0040117	-.0005288
genderm	.0524577	.0706585	0.74	0.458	-.0860305	.1909459
burger	.0448931	.0956151	0.47	0.639	-.1425091	.2322953
chicken	.1904714	.0953067	2.00	0.046	.0036737	.3772691
_cons	-.2145311	.6240549	-0.34	0.731	-1.437656	1.008594
/lnsig2u	-1.704494	.2502057			-2.194888	-1.214099
sigma_u	.4264557	.0533508			.333723	.5449563
rho	.1538793	.0325769			.1002105	.2289765

Likelihood-ratio test of rho=0: chibar2(01) = 29.91 Prob >= chibar2 = 0.000

Again we would like to check the stability of the quadrature technique of the model before interpreting the results. Given the estimate of ρ and the small size of the panels (between 3 and 8), we should find that the quadrature technique is numerically stable.

. quadchk, nooutput

Refitting model intpoints() = 8

Refitting model intpoints() = 16

	Quadrature check			
	Fitted quadrature 12 points	Comparison quadrature 8 points	Comparison quadrature 16 points	
Log likelihood	-1318.2088	-1318.2088 -2.002e-06 1.519e-09	-1318.2088 -1.194e-09 9.061e-13	Difference Relative difference
complain: age	-.04304086	-.04304086 -3.896e-10 9.051e-09	-.04304086 -2.625e-12 6.100e-11	Difference Relative difference
complain: grade	.0330934	.0330934 2.208e-11 6.673e-10	.0330934 1.867e-12 5.643e-11	Difference Relative difference
complain: south	.10119998	.10119999 2.369e-09 2.341e-08	.10119998 3.957e-11 3.910e-10	Difference Relative difference
complain: tenure	-.04400789	-.0440079 -3.362e-09 7.640e-08	-.04400789 -2.250e-11 5.114e-10	Difference Relative difference
complain: gender	.33184986	.33184986 3.190e-09 9.612e-09	.33184986 2.546e-11 7.673e-11	Difference Relative difference
complain: race	.34179006	.34179007 3.801e-09 1.112e-08	.34179006 2.990e-11 8.749e-11	Difference Relative difference
complain: income	-.00227021	-.00227021 -4.468e-11 1.968e-08	-.00227021 -9.252e-13 4.075e-10	Difference Relative difference
complain: genderm	.05245769	.05245769 1.963e-09 3.742e-08	.05245769 4.481e-11 8.542e-10	Difference Relative difference
complain: burger	.04489311	.04489311 4.173e-10 9.296e-09	.04489311 6.628e-12 1.476e-10	Difference Relative difference
complain: chicken	.19047138	.19047139 3.096e-09 1.625e-08	.19047138 4.916e-11 2.581e-10	Difference Relative difference
complain: _cons	-.21453112	-.21453111 1.281e-08 -5.972e-08	-.21453112 2.682e-10 -1.250e-09	Difference Relative difference
Insig2u: _cons	-1.7044935	-1.7044934 1.255e-07 -7.365e-08	-1.7044935 -4.135e-10 2.426e-10	Difference Relative difference

The relative and absolute differences are all small between the default 12 quadrature points and the result with 16 points. We do not have any coefficients that have a large difference between the default 12 quadrature points and eight quadrature points.

We conclude that the quadrature technique is stable. Because the differences here are so small, we would plan on using and interpreting these results rather than trying to rerun with more quadrature points.

◀

Stored results

`xtprobit`, `re` stores the following in `e()`:

Scalars

<code>e(N)</code>	number of observations
<code>e(N_g)</code>	number of groups
<code>e(N_cd)</code>	number of completely determined observations
<code>e(k)</code>	number of parameters
<code>e(k_aux)</code>	number of auxiliary parameters
<code>e(k_eq)</code>	number of equations in <code>e(b)</code>
<code>e(k_eq_model)</code>	number of equations in overall model test
<code>e(k_dv)</code>	number of dependent variables
<code>e(df_m)</code>	model degrees of freedom
<code>e(ll)</code>	log likelihood
<code>e(ll_0)</code>	log likelihood, constant-only model
<code>e(ll_c)</code>	log likelihood, comparison model
<code>e(chi2)</code>	χ^2
<code>e(chi2_c)</code>	χ^2 for comparison test
<code>e(N_clust)</code>	number of clusters
<code>e(rho)</code>	ρ
<code>e(sigma_u)</code>	panel-level standard deviation
<code>e(n_quad)</code>	number of quadrature points
<code>e(g_min)</code>	smallest group size
<code>e(g_avg)</code>	average group size
<code>e(g_max)</code>	largest group size
<code>e(p)</code>	significance
<code>e(rank)</code>	rank of <code>e(V)</code>
<code>e(rank0)</code>	rank of <code>e(V)</code> for constant-only model
<code>e(ic)</code>	number of iterations
<code>e(rc)</code>	return code
<code>e(converged)</code>	1 if converged, 0 otherwise

Macros

<code>e(cmd)</code>	<code>xtprobit</code>
<code>e(cmdline)</code>	command as typed
<code>e(depvar)</code>	name of dependent variable
<code>e(ivar)</code>	variable denoting groups
<code>e(model)</code>	<code>re</code>
<code>e(wtype)</code>	weight type
<code>e(wexp)</code>	weight expression
<code>e(title)</code>	title in estimation output
<code>e(clustvar)</code>	name of cluster variable
<code>e(offset)</code>	linear offset variable
<code>e(chi2type)</code>	Wald or LR; type of model χ^2 test
<code>e(chi2_ct)</code>	Wald or LR; type of model χ^2 test corresponding to <code>e(chi2_c)</code>
<code>e(vce)</code>	<i>vctype</i> specified in <code>vce()</code>
<code>e(vcetype)</code>	title used to label Std. Err.
<code>e(intmethod)</code>	integration method
<code>e(distrib)</code>	Gaussian; the distribution of the random effect
<code>e(opt)</code>	type of optimization
<code>e(which)</code>	max or min; whether optimizer is to perform maximization or minimization
<code>e(ml_method)</code>	type of ml method
<code>e(user)</code>	name of likelihood-evaluator program
<code>e(technique)</code>	maximization technique
<code>e(properties)</code>	<code>b V</code>
<code>e(predict)</code>	program used to implement <code>predict</code>
<code>e(asbalanced)</code>	factor variables <code>fvset</code> as <code>asbalanced</code>
<code>e(asobserved)</code>	factor variables <code>fvset</code> as <code>asobserved</code>

Matrices

<code>e(b)</code>	coefficient vector
<code>e(Cns)</code>	constraints matrix
<code>e(ilog)</code>	iteration log
<code>e(gradient)</code>	gradient vector
<code>e(V)</code>	variance-covariance matrix of the estimators
<code>e(V_modelbased)</code>	model-based variance

Functions

<code>e(sample)</code>	marks estimation sample
------------------------	-------------------------

`xtprobit`, `pa` stores the following in `e()`:

Scalars

<code>e(N)</code>	number of observations
<code>e(N_g)</code>	number of groups
<code>e(df_m)</code>	model degrees of freedom
<code>e(chi2)</code>	χ^2
<code>e(p)</code>	significance
<code>e(df_pear)</code>	degrees of freedom for Pearson χ^2
<code>e(chi2_dev)</code>	χ^2 test of deviance
<code>e(chi2_dis)</code>	χ^2 test of deviance dispersion
<code>e(deviance)</code>	deviance
<code>e(dispers)</code>	deviance dispersion
<code>e(phi)</code>	scale parameter
<code>e(g_min)</code>	smallest group size
<code>e(g_avg)</code>	average group size
<code>e(g_max)</code>	largest group size
<code>e(rank)</code>	rank of <code>e(V)</code>
<code>e(tol)</code>	target tolerance
<code>e(dif)</code>	achieved tolerance
<code>e(rc)</code>	return code

Macros

<code>e(cmd)</code>	<code>xtgee</code>
<code>e(cmd2)</code>	<code>xtprobit</code>
<code>e(cmdline)</code>	command as typed
<code>e(depvar)</code>	name of dependent variable
<code>e(ivar)</code>	variable denoting groups
<code>e(tvar)</code>	variable denoting time within groups
<code>e(model)</code>	<code>pa</code>
<code>e(family)</code>	<code>binomial</code>
<code>e(link)</code>	<code>probit</code> ; link function
<code>e(corr)</code>	correlation structure
<code>e(scale)</code>	<code>x2</code> , <code>dev</code> , <code>phi</code> , or <code>#</code> ; scale parameter
<code>e(wtype)</code>	weight type
<code>e(wexp)</code>	weight expression
<code>e(offset)</code>	linear offset variable
<code>e(chi2type)</code>	Wald; type of model χ^2 test
<code>e(vce)</code>	<code>vcetype</code> specified in <code>vce()</code>
<code>e(vcetype)</code>	title used to label Std. Err.
<code>e(nmp)</code>	<code>nmp</code> , if specified
<code>e(properties)</code>	<code>b V</code>
<code>e(predict)</code>	program used to implement <code>predict</code>
<code>e(marginsnotok)</code>	predictions disallowed by <code>margins</code>
<code>e(asbalanced)</code>	factor variables <code>fvset</code> as <code>asbalanced</code>
<code>e(asobserved)</code>	factor variables <code>fvset</code> as <code>asobserved</code>

Matrices

<code>e(b)</code>	coefficient vector
<code>e(Cns)</code>	constraints matrix
<code>e(R)</code>	estimated working correlation matrix
<code>e(V)</code>	variance-covariance matrix of the estimators
<code>e(V_modelbased)</code>	model-based variance

Functions

<code>e(sample)</code>	marks estimation sample
------------------------	-------------------------

Methods and formulas

`xtprobit` reports the population-averaged results obtained by using `xtgee`, `family(binomial)` `link(probit)` to obtain estimates.

Assuming a normal distribution, $N(0, \sigma_\nu^2)$, for the random effects ν_i

$$\Pr(y_{i1}, \dots, y_{in_i} | \mathbf{x}_{i1}, \dots, \mathbf{x}_{in_i}) = \int_{-\infty}^{\infty} \frac{e^{-\nu_i^2/2\sigma_\nu^2}}{\sqrt{2\pi}\sigma_\nu} \left\{ \prod_{t=1}^{n_i} F(y_{it}, \mathbf{x}_{it}\boldsymbol{\beta} + \nu_i) \right\} d\nu_i$$

where

$$F(y, z) = \begin{cases} \Phi(z) & \text{if } y \neq 0 \\ 1 - \Phi(z) & \text{otherwise} \end{cases}$$

where Φ is the cumulative normal distribution.

The panel-level likelihood l_i is given by

$$\begin{aligned} l_i &= \int_{-\infty}^{\infty} \frac{e^{-\nu_i^2/2\sigma_\nu^2}}{\sqrt{2\pi}\sigma_\nu} \left\{ \prod_{t=1}^{n_i} F(y_{it}, \mathbf{x}_{it}\boldsymbol{\beta} + \nu_i) \right\} d\nu_i \\ &\equiv \int_{-\infty}^{\infty} g(y_{it}, x_{it}, \nu_i) d\nu_i \end{aligned}$$

This integral can be approximated with M -point Gauss–Hermite quadrature

$$\int_{-\infty}^{\infty} e^{-x^2} h(x) dx \approx \sum_{m=1}^M w_m^* h(a_m^*)$$

This is equivalent to

$$\int_{-\infty}^{\infty} f(x) dx \approx \sum_{m=1}^M w_m^* \exp\{(a_m^*)^2\} f(a_m^*)$$

where the w_m^* denote the quadrature weights and the a_m^* denote the quadrature abscissas. The log likelihood, L , is the sum of the logs of the panel-level likelihoods l_i .

The default approximation of the log likelihood is by adaptive Gauss–Hermite quadrature, which approximates the panel-level likelihood with

$$l_i \approx \sqrt{2}\hat{\sigma}_i \sum_{m=1}^M w_m^* \exp\{(a_m^*)^2\} g(y_{it}, x_{it}, \sqrt{2}\hat{\sigma}_i a_m^* + \hat{\mu}_i)$$

where $\hat{\sigma}_i$ and $\hat{\mu}_i$ are the adaptive parameters for panel i . Therefore, with the definition of $g(y_{it}, x_{it}, \nu_i)$, the total log likelihood is approximated by

$$L \approx \sum_{i=1}^n w_i \log \left[\sqrt{2\hat{\sigma}_i} \sum_{m=1}^M w_m^* \exp\{(a_m^*)^2\} \frac{\exp\{-(\sqrt{2\hat{\sigma}_i}a_m^* + \hat{\mu}_i)^2/2\sigma_\nu^2\}}{\sqrt{2\pi}\sigma_\nu} \right. \\ \left. \prod_{t=1}^{n_i} F(y_{it}, x_{it}\beta + \sqrt{2\hat{\sigma}_i}a_m^* + \hat{\mu}_i) \right]$$

where w_i is the user-specified weight for panel i ; if no weights are specified, $w_i = 1$.

The default method of adaptive Gauss–Hermite quadrature is to calculate the posterior mean and variance and use those parameters for $\hat{\mu}_i$ and $\hat{\sigma}_i$ by following the method of [Naylor and Smith \(1982\)](#), further discussed in [Skrondal and Rabe-Hesketh \(2004\)](#). We start with $\hat{\sigma}_{i,0} = 1$ and $\hat{\mu}_{i,0} = 0$, and the posterior means and variances are updated in the k th iteration. That is, at the k th iteration of the optimization for l_i , we use

$$l_{i,k} \approx \sum_{m=1}^M \sqrt{2\hat{\sigma}_{i,k-1}} w_m^* \exp\{(a_m^*)^2\} g(y_{it}, x_{it}, \sqrt{2\hat{\sigma}_{i,k-1}}a_m^* + \hat{\mu}_{i,k-1})$$

Letting

$$\tau_{i,m,k-1} = \sqrt{2\hat{\sigma}_{i,k-1}}a_m^* + \hat{\mu}_{i,k-1}$$

$$\hat{\mu}_{i,k} = \sum_{m=1}^M (\tau_{i,m,k-1}) \frac{\sqrt{2\hat{\sigma}_{i,k-1}} w_m^* \exp\{(a_m^*)^2\} g(y_{it}, x_{it}, \tau_{i,m,k-1})}{l_{i,k}}$$

and

$$\hat{\sigma}_{i,k} = \sum_{m=1}^M (\tau_{i,m,k-1})^2 \frac{\sqrt{2\hat{\sigma}_{i,k-1}} w_m^* \exp\{(a_m^*)^2\} g(y_{it}, x_{it}, \tau_{i,m,k-1})}{l_{i,k}} - (\hat{\mu}_{i,k})^2$$

and this is repeated until $\hat{\mu}_{i,k}$ and $\hat{\sigma}_{i,k}$ have converged for this iteration of the maximization algorithm. This adaptation is applied on every iteration until the log-likelihood change from the preceding iteration is less than a relative difference of $1e-6$; after this, the quadrature parameters are fixed.

The log likelihood can also be calculated by nonadaptive Gauss–Hermite quadrature, the `int-method(ghermite)` option, where $\rho = \sigma_\nu^2/(\sigma_\nu^2 + 1)$:

$$L = \sum_{i=1}^n w_i \log \left\{ \Pr(y_{i1}, \dots, y_{in_i} | \mathbf{x}_{i1}, \dots, \mathbf{x}_{in_i}) \right\} \\ \approx \sum_{i=1}^n w_i \log \left[\frac{1}{\sqrt{\pi}} \sum_{m=1}^M w_m^* \prod_{t=1}^{n_i} F \left\{ y_{it}, \mathbf{x}_{it}\beta + a_m^* \left(\frac{2\rho}{1-\rho} \right)^{1/2} \right\} \right]$$

Both quadrature formulas require that the integrated function be well approximated by a polynomial of degree equal to the number of quadrature points. The number of periods (panel size) can affect whether

$$\prod_{t=1}^{n_i} F(y_{it}, \mathbf{x}_{it}\beta + \nu_i)$$

is well approximated by a polynomial. As panel size and ρ increase, the quadrature approximation can become less accurate. For large ρ , the random-effects model can also become unidentified. Adaptive quadrature gives better results for correlated data and large panels than nonadaptive quadrature; however, we recommend that you use the `quadchk` command (see [XT] [quadchk](#)) to verify the quadrature approximation used in this command, whichever approximation you choose.

xtprobit, re and the robust VCE estimator

Specifying `vce(robust)` or `vce(cluster clustvar)` causes the Huber/White/sandwich VCE estimator to be calculated for the coefficients estimated in this regression. See [P] [_robust](#), particularly [Introduction](#) and [Methods and formulas](#). Wooldridge (2013) and Arellano (2003) discuss this application of the Huber/White/sandwich VCE estimator. As discussed by Wooldridge (2013), Stock and Watson (2008), and Arellano (2003), specifying `vce(robust)` is equivalent to specifying `vce(cluster panelvar)`, where *panelvar* is the variable that identifies the panels.

Clustering on the panel variable produces a consistent VCE estimator when the disturbances are not identically distributed over the panels or there is serial correlation in ϵ_{it} .

The cluster-robust VCE estimator requires that there are many clusters and the disturbances are uncorrelated across the clusters. The panel variable must be nested within the cluster variable because of the within-panel correlation that is generally induced by the random-effects transform when there is heteroskedasticity or within-panel serial correlation in the idiosyncratic errors.

References

- Arellano, M. 2003. *Panel Data Econometrics*. Oxford: Oxford University Press.
- Baltagi, B. H. 2009. *A Companion to Econometric Analysis of Panel Data*. Chichester, UK: Wiley.
- . 2013. *Econometric Analysis of Panel Data*. 5th ed. Chichester, UK: Wiley.
- Conway, M. R. 1990. A random effects model for binary data. *Biometrics* 46: 317–328.
- Frechette, G. R. 2001a. [sg158: Random-effects ordered probit](#). *Stata Technical Bulletin* 59: 23–27. Reprinted in *Stata Technical Bulletin Reprints*, vol. 10, pp. 261–266. College Station, TX: Stata Press.
- . 2001b. [sg158.1: Update to random-effects ordered probit](#). *Stata Technical Bulletin* 61: 12. Reprinted in *Stata Technical Bulletin Reprints*, vol. 10, pp. 266–267. College Station, TX: Stata Press.
- Guilkey, D. K., and J. L. Murphy. 1993. Estimation and testing in the random effects probit model. *Journal of Econometrics* 59: 301–317.
- Liang, K.-Y., and S. L. Zeger. 1986. Longitudinal data analysis using generalized linear models. *Biometrika* 73: 13–22.
- Naylor, J. C., and A. F. M. Smith. 1982. Applications of a method for the efficient computation of posterior distributions. *Journal of the Royal Statistical Society, Series C* 31: 214–225.
- Neuhaus, J. M. 1992. Statistical methods for longitudinal and clustered designs with binary responses. *Statistical Methods in Medical Research* 1: 249–273.
- Neuhaus, J. M., J. D. Kalbfleisch, and W. W. Hauck. 1991. A comparison of cluster-specific and population-averaged approaches for analyzing correlated binary data. *International Statistical Review* 59: 25–35.
- Pendergast, J. F., S. J. Gange, M. A. Newton, M. J. Lindstrom, M. Palta, and M. R. Fisher. 1996. A survey of methods for analyzing clustered binary response data. *International Statistical Review* 64: 89–118.
- Skrondal, A., and S. Rabe-Hesketh. 2004. *Generalized Latent Variable Modeling: Multilevel, Longitudinal, and Structural Equation Models*. Boca Raton, FL: Chapman & Hall/CRC.
- Stewart, M. B. 2006. [Maximum simulated likelihood estimation of random-effects dynamic probit models with autocorrelated errors](#). *Stata Journal* 6: 256–272.

Stock, J. H., and M. W. Watson. 2008. Heteroskedasticity-robust standard errors for fixed effects panel data regression. *Econometrica* 76: 155–174.

Wooldridge, J. M. 2013. *Introductory Econometrics: A Modern Approach*. 5th ed. Mason, OH: South-Western.

Also see

[XT] **xtprobit postestimation** — Postestimation tools for xtprobit

[XT] **quadchk** — Check sensitivity of quadrature approximation

[XT] **xtcloglog** — Random-effects and population-averaged cloglog models

[XT] **xtgee** — Fit population-averaged panel-data models by using GEE

[XT] **xtlogit** — Fixed-effects, random-effects, and population-averaged logit models

[XT] **xtset** — Declare data to be panel data

[ME] **meprobit** — Multilevel mixed-effects probit regression

[MI] **estimation** — Estimation commands for use with mi estimate

[R] **probit** — Probit regression

[U] **20 Estimation and postestimation commands**